



US00D370479S

# United States Patent [19]

## Omino

[11] Patent Number: **Des. 370,479**

[45] Date of Patent: **\*\*Jun. 4, 1996**

[54] **FACSIMILE TRANSMITTER-RECEIVER**

[75] Inventor: **Seiichi Omino**, Kawaguchi, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **35,404**

[22] Filed: **Feb. 22, 1995**

### [30] Foreign Application Priority Data

Aug. 22, 1994 [JP] Japan ..... 6-25129

[52] U.S. Cl. .... **D14/118**

[58] Field of Search ..... D14/118, 124, D14/299; 358/400, 401; D18/36, 37

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 265,096	6/1982	Masaki .	
D. 268,581	4/1983	Kikuchi .	
D. 268,582	4/1983	Kikuchi .	
D. 282,842	3/1986	Yomo .	
D. 287,364	12/1986	Kando .	
D. 293,574	1/1988	Kando et al. ....	D14/118
D. 293,673	1/1988	Nishio .....	D14/118
D. 294,703	3/1988	Kando .....	D14/118
D. 295,284	4/1988	Kando .....	D14/118
D. 300,136	3/1989	Kando et al. ....	D14/118
D. 312,079	11/1990	Komatsu .....	D14/118
D. 312,252	11/1990	Nishio et al. ....	D14/118
D. 328,600	10/1992	Yomo .....	D14/118
D. 331,402	12/1992	Komatsu .....	D14/118
D. 334,923	4/1993	Dodge et al. ....	D14/118
D. 338,196	8/1993	Takeuchi .....	D14/118

D. 338,197	8/1993	Miyazawa et al. ....	D14/118
D. 338,666	8/1993	Miyazawa .....	D14/118
D. 344,077	2/1994	Inukai et al. ....	D14/118
D. 344,078	2/1994	Inukai et al. ....	D14/118
D. 344,079	2/1994	Inukai et al. ....	D14/118
D. 344,080	2/1994	Omino .....	D14/118
D. 344,503	2/1994	Nakajima et al. ....	D14/118
D. 355,906	2/1995	Yoshihara et al. ....	D14/118
D. 355,907	2/1995	Takeuchi .....	D14/118
D. 359,484	6/1995	Yonekawa .....	D14/118
5,166,812	11/1992	Dow et al. ....	358/400 X
5,329,377	7/1994	Gregg .....	358/400

### OTHER PUBLICATIONS

Panafax, Jun.-1994, cover page.

Soft Warehouse, The Computer Superstore 1989-90 catalog, p. 34.

*Primary Examiner*—Prabhakar G. Deshmukh

*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto


### [57] CLAIM

The ornamental design for a facsimile transmitter-receiver, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of a facsimile transmitter-receiver showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a perspective view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7