



US00D370494S

United States Patent [19]

Hughes et al.

[11] Patent Number: **Des. 370,494**

[45] Date of Patent: ****Jun. 4, 1996**

[54] **INDICATING DEVICE**

[75] Inventors: **Edward J. L. Hughes**, Gnarwarre;
Karen A. Yeilds, Narre Warren South,
both of Australia

[73] Assignee: **1 Little Collins St. Pty. Ltd.**,
Melbourne, Australia

[**] Term: **14 Years**

[21] Appl. No.: **22,479**

[22] Filed: **May 5, 1994**

[30] **Foreign Application Priority Data**

Dec. 7, 1993 [AU] Australia 3882/93

[52] **U.S. Cl.** **D18/10**

[58] **Field of Search** D18/10; 235/77,
235/78 R, 78 RC, 83, 88 R, 88 RC

[56] **References Cited**

U.S. PATENT DOCUMENTS

845,276 2/1907 Swart 235/78 R

2,076,242 3/1935 Marquis .
3,627,200 12/1971 Sadler 235/78 R
3,803,389 4/1974 Yelverton 235/78 R
4,568,822 2/1986 Betzko 235/78 R

FOREIGN PATENT DOCUMENTS

128842 8/1948 Australia .
0196869 3/1986 European Pat. Off. .

Primary Examiner—Alan P. Douglas
Assistant Examiner—S. Snapp
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak &
Seas


[57] **CLAIM**

The ornamental design for an indicating device, as shown.

DESCRIPTION

FIG. 1 is a top plan view of an indicating device showing our new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is an exploded perspective view thereof; and,
FIG. 4 is a side elevational view thereof.

1 Claim, 4 Drawing Sheets






FIG 1




FIG 2




FIG 3



FIG 4