



US00D370863S

United States Patent [19] Carmi

[11] **Patent Number: Des. 370,863**
[45] **Date of Patent: **Jun. 18, 1996**

[54] **PASSIVE INFRA-RED SENSOR**
[75] Inventor: **Bilha Carmi**, Netanya, Israel
[73] Assignee: **Visonic Ltd.**, Tel Aviv, Israel
[**] Term: **14 Years**

D. 320,952	8/1989	Soloway et al.	D10/106
D. 327,657	7/1992	Marcou et al.	.	
D. 332,227	1/1993	Kancko	D10/78
D. 339,079	9/1993	Behlke	D10/104
D. 339,758	9/1993	Warrington	D10/106
D. 339,759	9/1993	Ho	D10/106
D. 341,788	11/1993	Caryl et al.	D10/106
D. 346,567	5/1994	Rimon	D10/106

[21] Appl. No.: **40,911**
[22] Filed: **Jun. 6, 1995**

Primary Examiner—Marcus Jackson
Attorney, Agent, or Firm—Darby & Darby

Related U.S. Application Data

[60] Continuation of Ser. No. 31,084, Nov. 17, 1994, abandoned, which is a division of Ser. No. 10,057, Jun. 28, 1993, Pat. No. Des. 356,748.

[52] **U.S. Cl.** **D10/106**
[58] **Field of Search** D10/104, 106,
D10/116, 121; 340/521, 540, 541, 543,
544, 545, 546, 555, 556, 557, 565, 571,
572, 573

[57] CLAIM

The ornamental design for passive infra-red sensor, as shown and described.

DESCRIPTION

FIG. 1 is a front view;
FIG. 2 is a rear view;
FIG. 3 is a right-side view;
FIG. 4 is a left-side view;
FIG. 5 is a bottom view;
FIG. 6 is a top view;
FIG. 7 is an isometric view; and,
FIG. 8 is an isometric view.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,951	8/1989	Kotlicki et al.	D10/106
D. 302,952	8/1989	Soloway et al.	.	

1 Claim, 4 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 8




FIG. 7