



US00D370880S

United States Patent [19]
Graas

[11] **Patent Number:** **Des. 370,880**
[45] **Date of Patent:** ****Jun. 18, 1996**

[54] **TREAD FOR A TIRE**

[75] Inventor: **Maurice Graas**, Reichlange,
Luxembourg

[73] Assignee: **The Goodyear Tire & Rubber
Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **30,776**

[22] Filed: **Nov. 8, 1994**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 12,860, Sep. 13, 1993, Pat.
No. Des. 354,261.

[52] **U.S. Cl.** **D12/151**

[58] **Field of Search** **D12/145-151;**
152/209 R, 209 A, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 51,996 4/1918 Shriver .
D. 52,116 6/1918 Pratt .
D. 53,114 3/1919 Blowers .
D. 53,972 10/1919 Pratt .
D. 87,418 7/1932 Smith .
D. 117,175 10/1939 Hardeman .
D. 283,499 4/1986 Hammond D12/146
D. 305,016 12/1989 Hayakawa et al. D12/147
D. 322,237 12/1991 Nakatani D12/147
D. 324,839 3/1992 Maxwell et al. D12/147
D. 337,291 7/1993 Hirose D12/147
D. 340,895 11/1993 Himuro et al. D12/147
D. 341,347 11/1993 Kobayashi D12/147
D. 349,478 8/1994 Himuro D12/151
D. 354,468 1/1995 Jansen D12/149
1,127,517 2/1915 Richardson .
3,674,077 7/1972 Verdier 152/209
4,057,089 11/1977 Johanssen 152/209
4,456,046 6/1984 Miller 152/209
4,632,166 12/1986 Fontaine et al. 152/209
4,667,717 5/1987 Graas 152/290
4,687,037 8/1987 Pfeiffer et al. 152/209
4,785,863 11/1988 Tsuda et al. 152/209
5,131,443 7/1992 Kuhr et al. 152/209

5,152,854 10/1992 Matsumoto 152/209
5,154,783 10/1992 Kuhr et al. 152/209

FOREIGN PATENT DOCUMENTS

4825785 3/1984 Australia .
0259243 9/1988 European Pat. Off. .
0565270 3/1993 European Pat. Off. .
0625435 11/1994 European Pat. Off. .
1317785 5/1983 France .
614574 5/1935 Germany .
1727494 8/1956 Germany .
3707953 10/1987 Germany .
4026486 8/1990 Germany .
4112046 10/1991 Germany .
4220677 1/1993 Germany .
61-291204 12/1986 Japan .
62-157807 7/1987 Japan .
63-90405 4/1988 Japan .
0106114 5/1988 Japan .
116907 5/1988 Japan 152/209 A
373481 8/1990 Japan .
9002986 U 3/1900 United Kingdom .
870549 5/1953 United Kingdom .
873374 3/1954 United Kingdom .
884808 5/1957 United Kingdom .
1013064 6/1983 United Kingdom .
2136743 9/1984 United Kingdom .
1013790 9/1984 United Kingdom .
2192842 11/1987 United Kingdom .
1046105 6/1988 United Kingdom .
1048152 8/1988 United Kingdom .
2224472 6/1990 United Kingdom .
2229974 10/1990 United Kingdom .
2239845 7/1991 United Kingdom .
2242170 9/1991 United Kingdom .

OTHER PUBLICATIONS

Die ganz andere Problemlosung NRZ Oct. 1990.
1994 Tread Design Guide, p. 11, Continental Aqua Contact
CZ99 Tire, second tire in from bottom right side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—David L. King

[57] **CLAIM**

The ornamental design for a tread for a tire, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a tread for a tire showing my



new design it being understood that the pattern is repeated through the circumference thereof;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevational view thereof; and,

FIG. 4 is an enlarged fragmentary front view of a portion thereof.

The broken line showing of the tire sidewall in the drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG-1




FIG-2




FIG-3




FIG-4