



US00D370996S

United States Patent [19]

[11] Patent Number: **Des. 370,996**

Shimura et al.

[45] Date of Patent: ****Jun. 25, 1996**

[54] **BABY CARRIER**

[75] Inventors: **Toshihide Shimura; Hiroaki Matsuda,**
both of Tokyo, Japan

[73] Assignee: **Combi Corporation,** Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **21,397**

[22] Filed: **Apr. 15, 1994**

[30] Foreign Application Priority Data

Oct. 15, 1993 [JP] Japan 5-31129

[52] U.S. Cl. **D3/214; D3/213**

[58] Field of Search **D3/213, 214, 215,**
D3/216; 224/158, 159, 160, 161

[56] References Cited

U.S. PATENT DOCUMENTS

D. 322,695	12/1991	LaDue	D3/214
D. 334,659	4/1993	Yamaguchi et al.	D3/214
4,139,131	2/1979	Hathaway	224/160
4,402,440	9/1983	Purtzer et al.	224/160
5,020,709	6/1991	Hoaglan	224/161

FOREIGN PATENT DOCUMENTS

2224635 5/1990 United Kingdom 224/160

Primary Examiner—Celia Murphy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a baby carrier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a baby carrier in a folded condition showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a side elevational view of the left side thereof;

FIG. 4 is a side elevational view of the right side thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is an enlarged front perspective view thereof shown in the position of use for the front of a user;

FIG. 8 is a reduced rear perspective view thereof shown in the position of use for the back of a user; and,

FIG. 9 is an enlarged alternate perspective view of FIG. 8.

The broken lines shown in FIGS. 1, 2, 7, 8, and 9 are understood to represent conventional stitching.

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3

Fig. 4





Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

