



US00D371131S

United States Patent [19]

Chan et al.

[11] Patent Number: **Des. 371,131**

[45] Date of Patent: ****Jun. 25, 1996**

[54] **SELECTIVE CALL RECEIVER**

[75] Inventors: **Yew W. Chan; Kee K. Liew; Ramsey Chan**, all of Singapore, Singapore

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **30,495**

[22] Filed: **Oct. 31, 1994**

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 191, D14/192, 299; 340/311.1; 455/38.1-38.4, 90, 92, 100, 343

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------------|----------|
| D. 325,913 | 5/1992 | Takahashi et al. | D14/191 |
| D. 338,465 | 8/1993 | Hayasaka et al. | D14/191 |
| D. 346,167 | 4/1994 | Hyvönen | D14/191 |
| D. 359,736 | 6/1995 | Ishibashi et al. | D14/191 |
| 5,365,226 | 11/1994 | Morishima | 455/38.4 |

Primary Examiner—Ted Shooman
Assistant Examiner—Nanda Bondade



[57] **CLAIM**

The ornamental design for a selective call receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a selective call receiver showing our design;
 FIG. 2 is a top view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a bottom, front and right side perspective view thereof;
 FIG. 8 is a front elevational view of an alternative embodiment of the selective call receiver showing our design;
 FIG. 9 is a top view thereof;
 FIG. 10 is a left side view thereof;
 FIG. 11 is a rear elevational view thereof;
 FIG. 12 is a bottom view thereof;
 FIG. 13 is a right side view thereof; and,
 FIG. 14 is a bottom, front and right side perspective view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



US00D371131S

United States Patent [19]

Chan et al.

[11] Patent Number: **Des. 371,131**

[45] Date of Patent: ****Jun. 25, 1996**

[54] **SELECTIVE CALL RECEIVER**

[75] Inventors: **Yew W. Chan; Kee K. Liew; Ramsey Chan**, all of Singapore, Singapore

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **30,495**

[22] Filed: **Oct. 31, 1994**

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 191, D14/192, 299; 340/311.1; 455/38.1-38.4, 90, 92, 100, 343

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------------|----------|
| D. 325,913 | 5/1992 | Takahashi et al. | D14/191 |
| D. 338,465 | 8/1993 | Hayasaka et al. | D14/191 |
| D. 346,167 | 4/1994 | Hyvönen | D14/191 |
| D. 359,736 | 6/1995 | Ishibashi et al. | D14/191 |
| 5,365,226 | 11/1994 | Morishima | 455/38.4 |

Primary Examiner—Ted Shooman
Assistant Examiner—Nanda Bondade



[57] **CLAIM**

The ornamental design for a selective call receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a selective call receiver showing our design;
 FIG. 2 is a top view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a bottom, front and right side perspective view thereof;
 FIG. 8 is a front elevational view of an alternative embodiment of the selective call receiver showing our design;
 FIG. 9 is a top view thereof;
 FIG. 10 is a left side view thereof;
 FIG. 11 is a rear elevational view thereof;
 FIG. 12 is a bottom view thereof;
 FIG. 13 is a right side view thereof; and,
 FIG. 14 is a bottom, front and right side perspective view thereof.

1 Claim, 6 Drawing Sheets






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14