



US00D371153S

**United States Patent** [19]  
**Dugan**

[11] **Patent Number: Des. 371,153**  
[45] **Date of Patent: \*\*Jun. 25, 1996**

[54] **EYEGLOSS BRIDGE SUPPORT**

[76] Inventor: **John Dugan**, 2409 S. 55th, Kansas City, Kans. 66106-2266

[\*\*] Term: **14 Years**

[21] Appl. No.: **39,149**

[22] Filed: **May 22, 1995**

[52] U.S. Cl. .... **D16/333**

[58] **Field of Search** ..... D16/306, 310, D16/311, 313, 314, 319-330, 333, 335, 337, 339, 332; 351/44, 51, 111, 118, 119, 120, 136, 157, 158, 46; 2/236, 247, 248, 249

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 44,230	6/1913	Baker	.....	D16/333
D. 311,196	10/1990	Wiedmann	.....	D16/333
2,057,288	10/1936	Bailey	.....	351/136
3,425,773	2/1969	Masucci	.....	D16/333
4,792,222	12/1988	Labenz et al.	.....	351/136
4,896,957	1/1990	Speer	.....	351/136

**OTHER PUBLICATIONS**

Bausch & Lomb Optical Co. Catalog, 1935 p. 45 Nose pad "N".

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—R. Barkai  
*Attorney, Agent, or Firm*—Harpman & Harpman

[57] **CLAIM**

The ornamental design for a eyeglass bridge support, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and side perspective view of the eyeglass bridge support embodying the design of the present invention;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof; and,  
FIG. 6 is a top plan view thereof, the bottom plan view being a mirror image.

**1 Claim, 2 Drawing Sheets**





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6