



US00D371154S

**United States Patent** [19]  
**Kalbach**

[11] **Patent Number: Des. 371,154**  
[45] **Date of Patent: \*\*Jun. 25, 1996**

[54] **RETAINER FOR EYEGASSES**  
[76] Inventor: **Edward V. L. Kalbach**, 575 W. 3200  
South, Nibley, Utah 84321-6337  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **35,022**  
[22] Filed: **Feb. 17, 1995**  
[52] U.S. Cl. .... **D16/339**  
[58] **Field of Search** ..... D16/306, 310,  
D16/311, 313, 314, 319-330, 333, 335,  
337, 339, 340; 2/236, 247, 248, 249, 253;  
351/44, 46, 51, 111, 118, 119, 120, 136,  
157, 158

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 185,852 8/1959 McFadyen ..... D16/339  
D. 291,894 9/1987 Weisenfeld ..... D16/339  
D. 309,619 7/1990 Kalbach .  
D. 328,908 8/1992 Kalbach .  
D. 352,515 11/1994 Montague ..... D16/311  
1,819,738 8/1931 Daniels .  
2,481,946 9/1949 Pendleton .  
2,539,922 1/1951 Nyberg .  
2,660,092 11/1953 Bloom .  
2,704,961 3/1955 Weil .  
2,858,733 11/1958 Lodewick ..... 351/157  
3,397,026 8/1968 Spina .  
3,450,467 6/1969 Phillips .  
3,502,396 3/1970 Greenberg .  
3,874,776 4/1975 Seron .  
3,879,804 4/1975 Lawrence .  
4,133,604 1/1979 Fuller .  
4,541,696 9/1985 Winger et al. .  
4,783,164 11/1988 Heiberger ..... 351/157

**FOREIGN PATENT DOCUMENTS**

0058772 12/1981 European Pat. Off. .  
502283 11/1954 Italy .

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—R. Barkai  
*Attorney, Agent, or Firm*—Trask, Britt & Rossa

[57] **CLAIM**

The ornamental design for retainers for eyeglasses, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a retainer for eyeglasses showing my design;  
FIG. 2 is a top plan view thereof, the bottom view being identical;  
FIG. 3 is a right side elevational view thereof, the left side being identical;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a top plan view of a first alternative embodiment of a retainer for eyeglasses, the bottom view being a mirror image thereof;  
FIG. 7 is a right side elevational view of the retainer of FIG. 6, the left side being; being a mirror image;  
FIG. 8 is a front elevational view of the retainer of FIG. 6;  
FIG. 9 is a rear elevational view of the retainer of FIG. 6;  
FIG. 10 is a top plan view of a second alternative embodiment of a retainer for eyeglasses, the bottom view being a mirror image thereof;  
FIG. 11 is a right side elevational view of the retainer of FIG. 10, the left side view being a mirror image thereof;  
FIG. 12 is a front elevational view of the retainer of FIG. 10;  
FIG. 13 is a rear elevational view of the retainer of FIG. 10;  
FIG. 14 is a top plan view of a third alternative embodiment of a retainer for eyeglasses, the bottom view being a mirror image thereof;  
FIG. 15 is a right side elevational view of the retainer of FIG. 14, the left side view being a mirror image thereof;  
FIG. 16 is a front elevational view of the retainer of FIG. 14; and,  
FIG. 17 is a rear elevational view of the retainer of FIG. 14.  
The eyeglasses in FIG. 1 are shown in broken lines for illustrative purposes and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**





**Fig. 1**




Fig. 2





Fig. 3



*Fig. 4*



*Fig. 5*



**Fig. 6**


**Fig. 7**




*Fig. 8*



*Fig. 9*



**Fig. 10**



**Fig. 11**




**Fig. 12**




**Fig. 13**





**Fig. 14**



**Fig. 15**




Fig. 16




Fig. 17