



US00D371195S

United States Patent [19]

Krebs

[11] Patent Number: **Des. 371,195**

[45] Date of Patent: ****Jun. 25, 1996**

[54] **SPINAL CANNULA WITH HOLLOW NEEDLE MANDREL AND HOLDING GRIP**

[76] Inventor: **Peter Krebs**, Waldstrasse 39, 78048 VS-Villingen, Germany

[**] Term: **14 Years**

[21] Appl. No.: **24,128**

[22] Filed: **Jun. 8, 1994**

[30] Foreign Application Priority Data

Mar. 29, 1994 [DE] Germany 94 02 578.9

[52] U.S. Cl. **D24/112; D24/130**

[58] Field of Search D24/146, 112, D24/130, 147, 114; 128/751, 753, 754, 755; 604/164, 158, 170, 264, 165, 168, 167, 281

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,589	8/1989	McMenamy et al.	D24/112
D. 303,290	9/1989	McMenamy et al.	D24/147
D. 342,995	1/1994	Simmons	D24/112
D. 353,454	12/1994	Coombs	D24/112
4,137,916	2/1979	Killman et al. .	
4,308,875	1/1982	Young .	
4,356,828	11/1982	Jamshidi	128/754
4,585,444	4/1986	Harris .	
4,609,370	9/1986	Morrison	128/754 X
4,721,506	1/1988	Teves	604/164 X
4,828,549	5/1989	Kvalo .	
4,846,799	7/1989	Tanaka et al. .	
4,994,036	2/1991	Biscopring et al. .	
5,030,205	7/1991	Holdaway et al. .	
5,100,390	3/1992	Lubeck et al. .	
5,104,381	4/1992	Gresl et al. .	
5,106,376	4/1992	Mononen et al. .	

5,116,323	5/1992	Kreuzer et al.	604/164
5,161,542	11/1992	Palestrant	128/754
5,250,035	10/1993	Smith et al. .	
5,306,259	4/1994	Fischell et al.	604/165 X

Primary Examiner—Louis S. Zarfes
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—McGlew and Tuttle


[57] CLAIM

The ornamental design for a spinal cannula with hollow needle mandrel and holding grip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new spinal cannula design with hollow needle, mandrel and holding grip;
 FIG. 2 is a perspective view of the design of FIG. 1 without the hollow needle, mandrel and holding grip;
 FIG. 3 is a front view of the design of FIG. 1 showing the mandrel and holding grip in a retracted position;
 FIG. 4 is a view similar to FIG. 3 showing the mandrel and holding grip in a non-retracted position;
 FIG. 5 is a front view of the spinal cannula without mandrel, hollow needle and holding grip;
 FIG. 6 is a right side view of the spinal cannula without mandrel, hollow needle and holding grip, the left side view being identical;
 FIG. 7 is a bottom view of the spinal cannula without hollow needle, mandrel and holding grip;
 FIG. 8 is a bottom view of the spinal cannula without hollow needle, mandrel and holding grip;
 FIG. 9 is a top view of the spinal cannula without hollow needle, mandrel and holding grip;
 FIG. 10 is a bottom view of the spinal cannula with hollow needle, mandrel and holding grip; and,
 FIG. 11 is a rear end view of the spinal cannula with hollow needle, mandrel and holding grip.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11