



US00D371249S

United States Patent [19]

Bowers

[11] Patent Number: **Des. 371,249**

[45] Date of Patent: ****Jul. 2, 1996**

[54] **COOLED AUTOMOBILE SEAT**

[76] Inventor: **Richard C. Bowers**, R.D. #2, Box 267, Seward, Pa. 15954

[**] Term: **14 Years**

[21] Appl. No.: **30,690**

[22] Filed: **Nov. 4, 1994**

[52] U.S. Cl. **D6/356**

[58] Field of Search D6/334, 335, 336, D6/356, 374, 375, 500, 501, 502, 601; 297/180.11, 180.13

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 197,769 3/1964 Malouf D6/334
- D. 213,656 3/1969 Brown et al. D6/375 X
- D. 266,044 9/1982 Blanchard D6/375
- D. 274,863 7/1984 Lindström et al. D6/356 X
- D. 284,144 6/1986 Pedersen D6/374

- D. 295,235 4/1988 Hseu D6/356
- D. 353,497 12/1994 Bergkvist et al. D6/356

Primary Examiner—Gary D. Watson
Attorney, Agent, or Firm—Harold H. Dutton, Jr.; W. Charles L. Jamison; Diane F. Liebman

[57] **CLAIM**

The ornamental design for a cooled automobile seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cooled automobile seat showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6