



US00D371292S

**United States Patent** [19]  
**Baker**

[11] **Patent Number: Des. 371,292**

[45] **Date of Patent: \*\*Jul. 2, 1996**

[54] **SECURITY BELT ASSEMBLY FOR LOCKABLE CRATES**

[76] Inventor: **Ruel Baker**, 130-24 225 St., Laurelton, N.Y. 11413

[\*\*] Term: **14 Years**

[21] Appl. No.: **41,531**

[22] Filed: **Jul. 17, 1995**

[52] U.S. Cl. .... **D8/333**

[58] Field of Search ..... D8/330-331, 333, D8/343, 346; 70/14-16, 18, 30, 49; 150/101

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 236,581 9/1975 Reisner ..... D8/333
- D. 315,287 3/1991 Lambert ..... D8/333
- 1,711,082 4/1928 Brite ..... 70/14 X

*Primary Examiner*—Brian N. Vinson

*Attorney, Agent, or Firm*—Harold H. Dutton, Jr.; W. Charles L. Jamison; Diane F. Liebman

[57] **CLAIM**


The ornamental design for a security belt assembly for lockable crates, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a security belt assembly for lockable crates showing my new design;  
 FIG. 2 is an inverted perspective view thereof;  
 FIG. 3 is an enlarged end elevational view thereof;  
 FIG. 4 is an enlarged opposite end elevational view thereof;  
 FIG. 5 is an enlarged front elevational view thereof; and,  
 FIG. 6 is an enlarged rear elevational view thereof.

The padlock element shown in FIG. 2 has been omitted from the remaining views for clarity of illustration, and the strap portion in FIGS. 5 and 6 has been shown broken-away for clarity of illustration, as well.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6