



US00D371457S

United States Patent [19]
Jacobs

[11] **Patent Number:** **Des. 371,457**
[45] **Date of Patent:** ****Jul. 9, 1996**

[54] **SHOULDER STRAP BAG**

[76] Inventor: **Gail Jacobs**, 279 Concord Rd.,
Wayland, Mass. 01778

[**] Term: **14 Years**

[21] Appl. No.: **38,620**

[22] Filed: **May 9, 1995**

[52] U.S. Cl. **D3/231; D3/243**

[58] Field of Search D3/201, 206, 215,
D3/217, 224, 230, 231, 232, 233, 239,
243, 246; 150/104, 105, 107, 108, 110,
112, 118; 190/184; 206/37, 38 R; 224/202,
236; 383/13, 38, 117, 901

[56] **References Cited**

U.S. PATENT DOCUMENTS

235,013	11/1880	Pettus	224/236
D. 240,090	5/1976	Siegel	D3/243
D. 254,343	3/1980	Babcock	D3/231
D. 292,847	11/1987	Barker	D3/243 X
D. 304,882	12/1989	Kawaguchi .	
D. 357,798	5/1995	Dietrich et al.	D3/243 X
495,908	4/1893	Pembroke	224/236
3,799,413	3/1974	McBain .	

FOREIGN PATENT DOCUMENTS

2582490	6/1985	France .	
2351700	4/1975	Germany	150/118
1422146	1/1976	United Kingdom .	
223647	10/1990	United Kingdom .	

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Hannon
Attorney, Agent, or Firm—Wolf, Greenfield & Sacks

[57] **CLAIM**

The ornamental design for a shoulder strap bag, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoulder strap bag as worn on one shoulder, showing my new design;

FIG. 2 is a perspective thereof;

FIG. 3 is an elevational view thereof;

FIG. 4 is an elevational view thereof, looking from the left of FIG. 3;

FIG. 5 is an elevational view thereof, looking from the right of FIG. 3;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is an elevational view, showing the components of my new design in a longitudinal array;

FIG. 9 is an elevational view of the side opposite that of FIG. 8;

FIG. 10 is a perspective view of a second embodiment;

FIG. 11 is an elevational view of the modification of FIG. 10;

FIG. 12 is an elevational view from the left of FIG. 11;

FIG. 13 is an elevational view from the right of FIG. 11;

FIG. 14 is a top plan view of the embodiment of FIG. 10;

FIG. 15 is a bottom plan view of the embodiment of FIG. 10;

FIG. 16 is an elevational view, showing the components of the modification of my new design in a longitudinal array; and,

FIG. 17 is an elevational view of the side opposite that of FIG. 16.

The broken-line illustration of the drawings is not part of the design sought to be patented. The invention is characterized by a wide, tapered shoulder strap for support of a plurality of containers.

1 Claim, 9 Drawing Sheets





Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17