



US00D371510S

**United States Patent** [19]  
**Marsh**

[11] **Patent Number: Des. 371,510**

[45] **Date of Patent: \*\*Jul. 9, 1996**

[54] **BOTTLE CARRIER**

[75] Inventor: **Dennis R. Marsh**, Toledo, Ohio

[73] Assignee: **Owens-Illinois Labels Inc.**, Toledo, Ohio

[\*\*] Term: **14 Years**

[21] Appl. No.: **22,925**

[22] Filed: **May 16, 1994**

[52] U.S. Cl. .... **D9/344**

[58] **Field of Search** ..... D9/344, 341, 418,  
D9/434, 528; 206/139, 145, 147, 154, 158,  
160, 161, 519, 520, 194, 199, 427

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 282,908	3/1986	Panazzolo	.....	D9/344
D. 283,676	5/1986	Kochling	.....	D9/344
D. 294,331	2/1988	Panazzolo	.....	D9/344
D. 329,807	9/1992	Heider	.....	D9/344
4,139,094	2/1979	Berry et al.	.....	206/158
4,457,426	7/1984	Humphries	.....	206/158
4,487,312	12/1984	Heider	.....	206/158
4,712,680	12/1987	Panazzolo	.....	D9/344 X
4,872,549	10/1989	Panzzolo	.....	206/158

**OTHER PUBLICATIONS**

Modern Plastics, Sep. 1963, p. 101.

Primary Examiner—Prabhakar G. Deshmukh

**1 Claim, 6 Drawing Sheets**

[57] **CLAIM**

The ornamental design for a bottle carrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a bottle carrier showing my new design;

FIG. 2 is a front elevational view; the rear opposite being the same in appearance as the front shown;

FIG. 3 is a bottom plan view;

FIG. 4 is a side elevational view, the side opposite being the same in appearance as the side shown;

FIG. 5 is a fragmentary sectional view on an enlarged scale taken along the line 5—5 in FIG. 1;

FIG. 6 is a top plan view of a modified form of bottle carrier;

FIG. 7 is a front elevational view, the rear opposite being the same in appearance as the front shown;

FIG. 8 is a bottom plan view;

FIG. 9 is side elevational view, the side opposite being the same in appearance as the side shown;

FIG. 10 is an enlarged scale fragmentary sectional view taken along the line 10—10 of FIG. 7; and,

FIG. 11 is furthermore enlarged scale fragmentary sectional view taken along line 11—11 of FIG. 10.

The characteristic feature of my design resides in the embossed insignia on the surface of the carrier.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

