



US00D371695S

United States Patent [19] Buck

[11] Patent Number: **Des. 371,695**

[45] Date of Patent: ****Jul. 16, 1996**

[54] STORAGE DISPLAY

4,770,303 9/1988 Boyd 211/205
5,178,286 1/1993 Allison, III 211/171

[76] Inventor: **Gordon F. Buck**, 4202 Waterview Ct.,
Palm Springs, Fla. 33461

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Quarles & Brady

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **32,822**

The ornamental design for a storage display, as shown and described.

[22] Filed: **Dec. 29, 1994**

[52] U.S. Cl. **D6/460; D6/405; D34/23**

DESCRIPTION

[58] Field of Search D6/403-405, 455,
D6/457-461; D34/23; D32/53; 211/77,
78, 71, 205, 129, 131, 163, 13

FIG. 1 is a perspective view of my new design for a storage display unit;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 78,584	5/1929	Niemczyk et al.	D6/460
113,035	3/1871	Erkson	211/77
D. 204,718	5/1966	Marchetti	D6/460 X
D. 244,571	6/1977	Cowan, Jr.	D6/405
D. 252,600	1/1979	Gibson	D6/460
738,345	9/1903	Moore	211/71
1,648,528	11/1927	Ziringer	211/78
2,662,644	12/1953	Alexander	211/131 X
3,190,454	6/1965	Brooks	211/71
4,679,695	7/1987	Leff	211/71
4,756,429	7/1988	Lehman et al.	211/163 X


FIG. 2 is a typical elevational view from one side of the storage display of FIG. 1, showing the end view of the upper support beam for the wheel assembly cross-beam tier;

FIG. 3 is a typical elevational view from one side of the storage display of FIG. 1, that is a forty-five (45) degree rotation of the storage display shown in FIG. 2, showing the end view of the lower support beam for the wheel cross-beam tier;

FIG. 4 is a top plan view of the design for the storage display shown in FIG. 1; and,

FIG. 5 is a bottom plan view of the design for the storage display shown in FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2

FIG. 4




FIG. 5

