



US00D371756S

United States Patent [19]

[11] **Patent Number: Des. 371,756**

Kishi et al.

[45] **Date of Patent: **Jul. 16, 1996**

[54] **AUTOMOBILE TIRE**

[75] Inventors: **Atao Kishi; Atsushi Gojoh**, both of
Hiratsuka, Japan

[73] Assignee: **The Yokohama Rubber Co., Ltd.**,
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **30,109**

[22] Filed: **Nov. 1, 1994**

[30] **Foreign Application Priority Data**

Jul. 22, 1994 [JP] Japan 6-21793

[52] **U.S. Cl.** **D12/141**

[58] **Field of Search** D12/141, 145,
D12/146-148; 152/209 R, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 294,812 3/1988 Takeuchi D12/146
D. 304,558 11/1989 Fukumoto D12/146

OTHER PUBLICATIONS

1993 Tread Design Guide, p. 166, Yokohama RY123 & 103
Tires, bottom left side of page.

1994 Tread Design Guide, p. 124, Co-Op Max Steel Low
Profile Radial III Tire, second row down from top & second
tire in from right side of page.

1994 Tread Design Guide, p. 149, Ohtsu Hi-Steel Radial
RI-127 & 117 Tires, third row down from top, center & right
side of page respectively.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Nikaido, Marmelstein, Murray &
Oram

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of the automobile tire, showing our
new design, the rear view, top plan view and bottom plan
view appearing the same as the front view;

FIG. 2 is a right side view of the automobile tire, the left side
view appearing the same as the right side view;

FIG. 3 is an enlarged fragmentary front view, showing the
portion of X—X in FIG. 1; and,

FIG. 4 is a sectional view, taken on line 4—4 in FIG. 3.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4

