

## US00D371952S

Des. 371,952

## United States Patent [19]

## **Evans**

5,119,649

\*\*Jul. 23, 1996

Patent Number:

**Date of Patent:** 

[54]	BUMPER LOCK	THROUGH-HOLE SPARE TIRE
[75]	Inventor:	Steven R. Evans, Scott, Ark.
[73]	Assignee:	E & E Commercial, Inc., North Little Rock, Ark.
[**]	Term:	14 Years
[21]	Appl. No.:	22,482
[22]	Filed:	May 5, 1994
[52]	U.S. Cl	
[58]	Field of So	earch
		70/57, 58, 77, 158–159, 174, 237, 225,
		229, 230, 258, 259, 260
[56]		References Cited
U.S. PATENT DOCUMENTS		
	4,861,079 8	/1989 DeForrest, Sr D8/339 X
		/1992 Appelbaum 70/259

Primary Examiner—Brian N. Vinson Attorney, Agent, or Firm-Jerry L. Mahurin

[57]

[45]

**CLAIM** 

The ornamental design for a bumper through-hole spare tire lock, as shown and described.

## **DESCRIPTION**

FIG. 1 is a front, side isometric view of a bumper throughhole spare tire lock showing my new design;

FIG. 2 is a rear side isometric view of my lock, the broken-line disclosure in both FIGS. 1 and 2 being for illustrative purposes only and forming no part of the claimed design;

FIG. 3 is a front, top isometric view of my lock;

FIG. 4 is a front, side isometric view of my lock;

FIG. 5 is a rear, side isometric view of my lock;

FIG. 6 is a rear, top isometric view of my lock;


FIG. 7 is a front elevational view of my lock;


FIG. 8 is a side elevational view of my lock;

FIG. 9 is a rear elevational view of my lock; and,

FIG. 10 is a top plan view of my lock.

1 Claim, 2 Drawing Sheets










FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

