



US00D372000S

United States Patent [19]

[11] Patent Number: **Des. 372,000**

Searles

[45] Date of Patent: ****Jul. 23, 1996**

[54] MOTORIZED PUSHING DEVICE

[76] Inventor: **Andrew N. Searles**, 547 Woodlawn Rd., Charlotte, N.C. 28209

[**] Term: **14 Years**

[21] Appl. No.: **35,707**

[22] Filed: **Mar. 6, 1995**

[52] U.S. Cl. **D12/1**

[58] Field of Search D12/1, 7, 8; D34/12, D34/23, 24; 180/180, 19.1

[56] References Cited

U.S. PATENT DOCUMENTS

D. 253,098	10/1979	Morgan	D34/24
D. 257,587	12/1980	Doyich	D34/12
D. 287,178	12/1986	Babb et al.	D34/24
3,212,595	10/1965	Mathews et al.	180/19.1
3,750,777	8/1973	Thompson	180/19.1 X
3,826,323	7/1974	Mehne	180/180
4,456,089	6/1984	Kuwahara	180/19.1 X
4,869,517	9/1989	Smith	D34/12 X

FOREIGN PATENT DOCUMENTS

45283	2/1974	Australia	180/19.1
405085362	4/1993	Japan	180/19.1
21340	9/1994	WIPO	180/19.1

Primary Examiner—James M. Gandy
Assistant Examiner—S. Snapp
Attorney, Agent, or Firm—Bell, Seltzer, Park, & Gibson


[57] CLAIM


The ornamental design for a motorized pushing device, as shown and described.


DESCRIPTION

FIG. 1 is a right side perspective view of a motorized pushing device showing my new design; FIG. 2 is a left side view; FIG. 3 is a top plan view; FIG. 4 is a left side perspective view; FIG. 5 is an enlarged, fragmentary top plan view of a second embodiment of my new design, wherein the sole difference resides in the appearance and configuration of the handle portion; FIG. 6 is a left side view of the second embodiment; FIG. 7 is a left side view of a third embodiment of my new design; and, FIG. 8 is a perspective view of the third embodiment. The broken line showing of a motor, tire, and in-line skating figure is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets










FIG. 6.

