



US00D372032S

United States Patent [19]
Kanemitsu

[11] **Patent Number: Des. 372,032**

[45] **Date of Patent: *** Jul. 23, 1996**

[54] **FLANGED FITTING FOR A CATALYTIC CONVERTER**

[75] Inventor: **Toshiaki Kanemitsu**, Kobe, Japan

[73] Assignee: **Kabushiki Kaisha Kanemitsu**, Akashi, Japan

[*] Notice: The portion of the term of this patent subsequent to Jan. 30, 2010, has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **29,642**

[22] Filed: **Oct. 12, 1994**

[30] **Foreign Application Priority Data**

| | | | | |
|---------------|------|-------|-------|---------|
| Apr. 21, 1994 | [JP] | Japan | | 6-11545 |
| Apr. 21, 1994 | [JP] | Japan | | 6-11546 |
| Apr. 21, 1994 | [JP] | Japan | | 6-11547 |

[52] **U.S. Cl.** **D15/5; D23/259**

[58] **Field of Search** **D12/194, 223; D23/259, 262-264, 266; 29/890, 890.08; D15/5, 199; 285/42, 44, 161, 405, 414, 416; 403/335-336; 60/299-302; 422/177, 179, 180**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|--------|---------------|-------|-----------|
| D. 252,703 | 8/1979 | Cupit | | D23/259 |
| D. 334,051 | 3/1993 | Fell, Sr. | | D23/262 |
| 3,604,733 | 9/1971 | Hubbell, III | | 285/414 X |
| 3,938,232 | 2/1976 | Noda et al. | | 29/890 |
| 4,039,292 | 8/1977 | Morini et al. | | 422/179 |

Primary Examiner—A. Hugo Word

Assistant Examiner—Lavone Tabor
Attorney, Agent, or Firm—Jones, Tullar & Cooper

[57] **CLAIM**

The ornamental design for a flanged fitting for a catalytic converter, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a flanged fitting for a catalytic converter showing my new design with the rear elevational view being a mirror image;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a sectional view thereof taken along line 5—5 of FIG. 2;

FIG. 6 is a front elevational view of a second embodiment of the design shown in FIG. 1 with the rear elevational view being a mirror image;

FIG. 7 is a top plan view thereof;

FIG. 8 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a sectional view thereof taken along line 10—10 of FIG. 7;

FIG. 11 is a front elevational view of a third embodiment of the design shown in FIG. 1 with the rear elevational view being a mirror image;

FIG. 12 is a top plan view thereof;

FIG. 13 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 14 is a bottom plan view thereof; and,

FIG. 15 is a sectional view thereof taken along line 15—15 of FIG. 12.

1 Claim, 9 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15

