



US00D372090S

United States Patent [19]

MacCauley et al.

[11] Patent Number: **Des. 372,090**

[45] Date of Patent: ****Jul. 23, 1996**

[54] BOTTLE

[75] Inventors: **Richard P. MacCauley**, Westerville;
Patrick E. McCallister, Columbus,
both of Ohio; **Jay A. Smithberger**,
Evanston, Ill.; **Lewis H. Sita**,
Worthington; **Elwood L. Stokesbury**,
Westerville, both of Ohio

[73] Assignee: **Abbott Laboratories**, Abbot Park, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **26,129**

[22] Filed: **Jul. 20, 1994**

[52] U.S. Cl. **D24/121; D9/520; D24/118;**
D24/224

[58] Field of Search **D24/121, 118,**
D24/224, 108, 127, 128; D9/520, 572,
573, 453, 454, 445, 447; 215/379, 373,
215, 370, 374

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 288,293	2/1987	Arvans	D9/370
D. 289,975	5/1987	Wendt	D9/401
D. 302,305	7/1989	Fuller	D24/118
D. 303,496	9/1989	Larson	D9/367
D. 304,805	11/1989	Mednis	D9/341
D. 306,260	2/1990	Hargrove et al.	D24/224 X
D. 313,177	12/1990	Larson	D9/370
D. 316,965	5/1991	Arvidson	D9/370
D. 322,214	12/1991	Davis	D24/118 X
D. 363,795	4/1992	Pagels	D24/121 X
3,096,913	7/1963	Corley	222/183
3,171,412	3/1965	Braun	123/272
3,325,031	6/1967	Singier	215/37
3,384,258	5/1968	Singier	215/100

3,405,723	10/1968	Jellies	D24/118 X
3,537,498	11/1970	St. Amand	150/0.5
3,581,928	6/1971	St. Amand	215/100 A
3,904,060	9/1975	McPhee	D24/181 X
3,926,341	12/1975	Lhoest	222/92
4,013,187	3/1977	Betka	215/100
4,747,519	10/1985	Green et al.	222/181
5,123,554	6/1992	Arvidson	215/12.2

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—Brian R. Woodworth


[57] **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bottle showing our new design;
FIG. 2 is a front elevation thereof, the rear elevation being the same except for the conventional screw threading on the bottle neck;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a side elevation thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck;
FIG. 6 is a perspective view of a second embodiment of a bottle showing our new design;
FIG. 7 is a front elevation thereof, the rear elevation being the same except for the conventional screw threading on the bottle neck;
FIG. 8 is a top view thereof;
FIG. 9 is a bottom view thereof; and,
FIG. 10 is a side elevation thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-3




FIG-2




FIG-5




FIG-4




FIG-6




FIG-8




FIG-7




FIG-10




FIG-9