



US00D372456S

United States Patent [19]

Cooper et al.

[11] Patent Number: **Des. 372,456**

[45] Date of Patent: ****Aug. 6, 1996**

[54] BATTERY CHARGER

[75] Inventors: **Stephen V. Cooper**, Amity; **Phillip H. Salvatori**, Salem; **Jonathan N. Andrews**, Monmouth; **Gregory D. Brink**; **James D. Bledsoe**, both of McMinnville; **Wendy Blumberg-Dominguez**, Tigard; **David L. Burton**, McMinnville, all of Oreg.

[73] Assignee: **Hewlett-Packard Company**, Palo Alto, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **38,917**

[22] Filed: **May 16, 1995**

[52] U.S. Cl. **D13/108**

[58] Field of Search D13/107, 108;
D14/138, 191, 240, 251, 253; 320/2, 3,
4, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 327,247 6/1992 Higuchi et al. D13/108

D. 342,231 12/1993 Walker et al. D13/108
D. 352,271 11/1994 Fangrow, Jr. D13/108

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Curtis G. Rose

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery charger showing my new design, the operational card being shown partially extended;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;


FIG. 4 is a front elevational view thereof;

FIG. 5 is a back elevational view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig.4




Fig.5




Fig. 6




Fig. 7