



US00D372855S

**United States Patent** [19]  
**Tylaska**

[11] **Patent Number: Des. 372,855**

[45] **Date of Patent: \*\*Aug. 20, 1996**

[54] **SHACKLE**

[76] **Inventor: Timothy Tylaska**, 138 N. Stonington Rd., Mystic, Conn. 06355

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 37,105**

[22] **Filed: Apr. 4, 1995**

[52] **U.S. Cl. .... D8/367**

[58] **Field of Search .... D8/367, 382; 24/599.8, 24/599.2, 305; 294/82.2**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 281,222	11/1985	Faidide .....	D8/382 X
D. 354,676	1/1995	Izumi et al. ....	D8/367
D. 355,585	2/1995	Terada et al. ....	D8/367
4,279,062	7/1981	Boissonnet .....	24/305

*Primary Examiner*—Holly H. Baynham  
*Attorney, Agent, or Firm*—William B. Ritchie

[57] **CLAIM**

The ornamental design for shackle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the shackle in accordance with the

invention in a closed position;

FIG. 2 is a front view of the shackle in an opened position;

FIG. 3 is a rear view of the shackle in an opened position;

FIG. 4 is a rear isometric view of the shackle in a closed position;

FIG. 5 is a front isometric view of the shackle in an opened position;

FIG. 6 is a top view of the shackle;

FIG. 7 is a bottom view of the shackle;

FIG. 8 is a left end view of the shackle;


FIG. 9 is a right end view of the shackle;

FIG. 10 is a bottom view of the shackle in an opened position; and,

FIG. 11 is a detailed isometric view of the front arm of the shackle.

The arm of the shackle is shown detached from the shackle body for clarity of illustration.

**1 Claim, 3 Drawing Sheets**






FIG. 1

FIG. 2





FIG. 3

FIG. 4






FIG. 5

FIG. 6



FIG. 7

FIG. 8






FIG. 9

FIG. 10





FIG. 11