



US00D372875S

**United States Patent** [19]  
**Hollinger**

[11] **Patent Number: Des. 372,875**

[45] **Date of Patent: \*\*Aug. 20, 1996**

[54] **KEY SAFE THERMOMETER**

[75] **Inventor: Fred Hollinger, Kings Park, N.Y.**

[73] **Assignee: E & B Giftware, Inc., Mt. Vernon, N.Y.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 43,591**

[22] **Filed: Sep. 7, 1995**

[52] **U.S. Cl. .... D10/58**

[58] **Field of Search ..... D10/58; 374/201, 374/202, 203, 208**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 280,184	8/1985	Henkels	.....	D10/58
D. 292,072	9/1987	Bertani	.....	D10/58 X
1,859,928	5/1932	MacCollum	.....	374/208 X
4,738,549	4/1988	Plimpton	.....	374/208

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Stanley J. Yavner


[57] **CLAIM**

The ornamental design for a key safe thermometer, as shown and described.



**DESCRIPTION**

FIG. 1 is a left side, front and top isometric view of the key safe thermometer embodying my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side, front and top isometric view, in exploded form, similar to FIG. 1, but with a portion removed below the housing thereof to show a view of the design, as it would appear during usage thereof; and, FIG. 8 is a left side, front and top isometric view of the removed portion of the design of FIG. 7, but with a part of the portion shown in opened position to illustrate another view thereof during usage of the design. The broken line showing of a key is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




*FIG. 1*




*FIG. 2*


*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*

