



US00D372875S

United States Patent [19]
Hollinger

[11] **Patent Number: Des. 372,875**

[45] **Date of Patent: **Aug. 20, 1996**

[54] **KEY SAFE THERMOMETER**

[75] **Inventor: Fred Hollinger, Kings Park, N.Y.**

[73] **Assignee: E & B Giftware, Inc., Mt. Vernon, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 43,591**

[22] **Filed: Sep. 7, 1995**

[52] **U.S. Cl. D10/58**

[58] **Field of Search D10/58; 374/201, 374/202, 203, 208**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 280,184	8/1985	Henkels	D10/58
D. 292,072	9/1987	Bertani	D10/58 X
1,859,928	5/1932	MacCollum	374/208 X
4,738,549	4/1988	Plimpton	374/208

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Stanley J. Yavner

[57] **CLAIM**

The ornamental design for a key safe thermometer, as shown and described.

DESCRIPTION

FIG. 1 is a left side, front and top isometric view of the key safe thermometer embodying my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side, front and top isometric view, in exploded form, similar to FIG. 1, but with a portion removed below the housing thereof to show a view of the design, as it would appear during usage thereof; and, FIG. 8 is a left side, front and top isometric view of the removed portion of the design of FIG. 7, but with a part of the portion shown in opened position to illustrate another view thereof during usage of the design. The broken line showing of a key is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1





FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6

