



US00D373544S

United States Patent [19]

Nickles et al.

[11] Patent Number: Des. 373,544

[45] Date of Patent: **Sep. 10, 1996

[54] SMOKE DETECTOR

[76] Inventors: **Aaron M. Nickles**, 341 Fumace Dock Rd. Valeria 18, Corlandt Manor, N.Y. 10566; **Daniel R. Nickles**, 839 E. Shore Rd., Hewitt, N.J. 07421

[**] Term: 14 Years

[21] Appl. No.: 38,333

[22] Filed: May 3, 1995

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106, D10/116, 121; D29/1, 2, 3, 4, 5; 340/545, 547, 555, 578, 586, 628, 629, 630, 693

[56] References Cited

U.S. PATENT DOCUMENTS

D. 319,798 9/1991 Hatano D10/106

D. 339,078 9/1993 Behlke D10/106
D. 339,998 10/1993 Igarashi et al. D10/106
D. 340,659 10/1993 Fenne D10/106
D. 346,981 5/1994 Ratzlaff D10/106

Primary Examiner—Marucs A. Jackson


[57] CLAIM

The ornamental design for a smoke detector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a smoke detector showing our new design with a battery warning arm in the deployed position, with the bottom being flat and unornamented; FIG. 2 is a top view of the smoke detector of FIG. 1; FIG. 3 is a side view of the smoke detector of FIG. 1; and, FIG. 4 is a top view of the smoke detector of FIG. 1 with the battery warning arm in the stored position.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4