



US00D373736S

United States Patent [19]

Kurisaki et al.

[11] Patent Number: **Des. 373,736**

[45] Date of Patent: ****Sep. 17, 1996**

[54] **SOLID STATE PRESSURE DETECTOR**

[75] Inventors: **Shogo Kurisaki; Masao Kataoka; Kuniko Suzuki**, all of Ibaraki-ken, Japan

[73] Assignee: **SMC Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **35,984**

[22] Filed: **Mar. 10, 1995**

[30] Foreign Application Priority Data

Sep. 12, 1994 [JP] Japan 6-27688

[52] U.S. Cl. **D10/83; D10/85; D10/96**

[58] Field of Search D10/83, 85, 96; 200/83 N, 83 B; 73/728, 861.74, 431

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,371 3/1979 Schwartz D10/85
D. 254,781 4/1980 Holm D10/85

D. 263,125 2/1982 Taylor D10/85
4,977,413 12/1990 Yamanaka et al. 200/83 N
5,315,878 5/1994 Birenheide 200/83 N

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

[57] CLAIM

The ornamental design for a solid state pressure detector, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a solid state pressure detector, showing our new design;
FIG. 2 is a front view thereof, the rear view being a mirror image of the view shown;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a perspective view thereof; and,
FIG. 7 is a perspective view thereof on a reduced scale showing the entire solid-state pressure detector.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG. 4




FIG. 5





FIG. 6






FIG. 7