



US00D373825S

United States Patent [19]

[11] Patent Number: **Des. 373,825**

Hayes

[45] Date of Patent: ****Sep. 17, 1996**

[54] **RIBBED AUGMENT FOR A PROSTHETIC IMPLANT**

[75] Inventor: **Kevin B. Hayes**, Milford, Ind.

[73] Assignee: **Zimmer, Inc.**, Warsaw, Ind.

[**] Term: **14 Years**

[21] Appl. No.: **43,636**

[22] Filed: **Sep. 8, 1995**

Related U.S. Application Data

[62] Division of Ser. No. 18,301, Jan. 28, 1994, Pat. No. Des. 365,396.

[52] **U.S. Cl.** **D24/155**

[58] **Field of Search** D24/155; 623/18, 623/20, 16

[56] References Cited

U.S. PATENT DOCUMENTS

4,731,086	3/1988	Whiteside et al.	623/20
4,769,039	9/1988	Horber	623/20
4,842,606	6/1989	Kranz et al.	623/23
4,911,721	3/1990	Branemark et al.	623/20
4,936,847	6/1990	Manginelli	623/23
4,944,757	7/1990	Martinez et al.	623/20
4,950,298	8/1990	Gustilo et al.	623/20
4,995,883	2/1991	Demane et al.	623/23
5,019,103	5/1991	Van Zile et al.	623/20
5,047,058	9/1991	Roberts et al.	623/20
5,152,797	10/1992	Luckman et al.	623/20
5,344,460	9/1994	Turanyi et al.	623/20
5,356,414	10/1994	Cohen et al.	623/20 X
5,370,699	12/1994	Hood et al.	623/20
5,370,701	12/1994	Finn	623/20
5,405,396	4/1995	Heldrein et al.	623/20

FOREIGN PATENT DOCUMENTS

2259253A 3/1993 United Kingdom A61F 2/02

OTHER PUBLICATIONS

Allo Pro Corporation—A GSB “taylor-made” Prosthesis—JBJS—Mar. 1986.

Johnson & Johnson Orthopaedics—P.F.C. Modular Total Knee System—No date avail.

Osteonics—Osteonics Series 7000 Total Knee System—JBJS Dec. 1993.

Zimmer, Inc.—Insall/Burstein II Modular Knee System—Catalog pp. 175–176–1991.

Zimmer, Inc. Brochure—Insall/Burstein II Modular Knee System—1993.

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Margaret L. Geringer

[57] CLAIM

The ornamental design for a ribbed augment for a prosthetic implant, as shown and described.

DESCRIPTION

FIG. 1 is an end view of a ribbed augment for a prosthetic implant;

FIG. 2 is a perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an end view thereof of the end shown in FIG. 1;

FIG. 6 is an end view thereof of the end opposite the end shown in FIG. 5;

FIG. 7 is a side elevational view thereof;

FIG. 8 is a side elevational view thereof of the side opposite the side shown in FIG. 7;

FIG. 9 is an end view of a second alternate embodiment of a ribbed augment for a prosthetic implant;

FIG. 10 is a perspective view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is an end view thereof of the end shown in FIG. 9;


FIG. 14 is an end view thereof of the end opposite the end shown in FIG. 13;

FIG. 15 is a side elevational view thereof; and,

FIG. 16 is a side elevational view thereof of the side opposite the side shown in FIG. 15.

The broken line showing of the tibial plate in FIGS. 1 and 9 of the screw holes in FIGS. 2–4, 10–12 and 16 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets










FIG. 5

FIG. 6

FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16