



US00D373849S

United States Patent [19]
Passalacqua

[11] **Patent Number:** **Des. 373,849**
[45] **Date of Patent:** ****Sep. 17, 1996**

[54] **CURLING IRON HOLDER**
[76] Inventor: **Joseph M. Passalacqua**, 4235 Airway
Dr. NE., Moses Lake, Wash. 98837
[**] Term: **14 Years**
[21] Appl. No.: **39,320**
[22] Filed: **May 24, 1995**
[52] U.S. Cl. **D28/38**
[58] Field of Search D28/38, 73; D6/524,
D6/556, 512, 551, 553, 554; D8/71; 248/117.1,
-117.7, 153, 302, 314, 112, 309.1; 219/242

4,973,019 11/1990 Baird et al. 248/314
5,141,189 8/1992 Andrew 248/154

OTHER PUBLICATIONS

Raymond Mfg. Co. Mechanical Springs Catalog, © 1948, p.
48: Wire form at center, shown by arrow.

Primary Examiner—Terry A. Wallace
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—James A. Hudak

[57] **CLAIM**

The ornamental design for a curling iron holder, as shown
and described.

[56] **References Cited**


U.S. PATENT DOCUMENTS

D. 305,944	2/1990	Mellott		D28/38
D. 329,304	8/1992	Tipp		D28/38
905,944	12/1908	Southard		248/302 X
1,511,954	10/1924	Elliott		248/314 X
1,556,285	10/1925	Chrabmow		267/74
3,267,254	8/1966	Weller et al.		248/117.2 X
3,612,454	10/1971	Linn		248/314 X
3,800,122	3/1974	Farmer		219/242 X
4,065,084	12/1977	Wiener		248/117.1

DESCRIPTION

FIG. 1 is a perspective view of the curling iron holder
showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 6




FIG. 3




FIG. 5




FIG. 7