



US00D373959S

United States Patent [19]
Kurisaki et al.

[11] **Patent Number:** **Des. 373,959**
[45] **Date of Patent:** ****Sep. 24, 1996**

[54] **SOLID STATE PRESSURE DETECTOR**

[75] Inventors: **Shogo Kurisaki; Masao Kataoka;**
Kuniko Suzuki, all of Ibaraki-ken,
Japan
[73] Assignee: **SMC Kabushiki Kaisha**, Tokyo, Japan
[**] Term: **14 Years**

[21] Appl. No.: **35,985**
[22] Filed: **Mar. 10, 1995**

[30] **Foreign Application Priority Data**
Sep. 12, 1994 [JP] Japan 6-27686
[52] **U.S. Cl.** **D10/83; D10/85; D10/96**
[58] **Field of Search** **D10/83, 85; 73/431,**
73/728, 861.74; 200/83 B, 83 N

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 251,371 8/1979 Schwartz D10/85
D. 254,781 4/1980 Holm D10/85

D. 263,125 2/1982 Taylor D10/85
4,977,413 12/1990 Yamanaka et al. 200/83 N
5,315,878 5/1994 Birenheide 200/83 N

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Oblon, Spivak, McClelland,
Maier, & Neustadt, P.C.

[57] **CLAIM**

The ornamental design for a solid state pressure detector, as
shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a solid state pressure detector,
showing our new design;
FIG. 2 is a front view thereof, the rear view being a mirror
image of the view shown;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a perspective view thereof; and,
FIG. 7 is a perspective view thereof on a reduced scale
showing the entire pressure detector.

1 Claim, 4 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7

