



US00D373992S

United States Patent [19]

Rosen et al.

[11] Patent Number: Des. 373,992

[45] Date of Patent: **Sep. 24, 1996

[54] DESIGN FOR A BATTERY CHARGER

[75] Inventors: **Marc A. Rosen**, New York, N.Y.;
Richard J. Suchanek; **Judith D. Pyle**,
both of Madison, Wis.; **Kevin A.**
Marshall, Williston Park, N.Y.; **Gerald**
A. Albright, Middleton, Wis.; **Theresa**
A. Pyle-Smith, Madison, Wis.; **Robert**
W. Zimmermann, Sun Prairie, Wis.;
Robert K. Kloppenburg, Middleton,
Wis.

[73] Assignee: **Rayovac Corporation**, Madison, Wis.

[**] Term: 14 Years

[21] Appl. No.: 17,591

[22] Filed: Jan. 14, 1994

[52] U.S. Cl. D13/107

[58] Field of Search D13/107, 108;
320/2, 3, 4, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 194,790	3/1963	Neuhardt		D13/107
D. 206,229	11/1966	Ota		D13/107
D. 206,804	1/1967	Cumtaz		D13/107
D. 206,880	2/1967	Kelly		D13/108
D. 216,469	1/1970	Floyd		D13/107
D. 221,381	8/1971	Kwamoto		D10/75
D. 247,619	3/1978	Edgell et al.		D13/107
D. 278,426	4/1985	Lanci et al.		D13/107
D. 278,702	5/1985	Chiodo et al.		D13/107

D. 278,703	5/1985	Chiodo et al.		D13/107
D. 301,135	5/1989	Schappler		D13/107
D. 311,220	11/1992	Tsuchiya		D13/107
D. 348,427	7/1994	Ohmaki et al.		D13/107

OTHER PUBLICATIONS

Battery Charger on p. 340 of *Hong Kong Enterprise*, Nov. 1987.Battery charger on p. 109 of *Radio Shack* catalog ©1990.Battery charger on p. 29 of *Allied Electronics* catalog ©1990.

Primary Examiner—Joel Sincavage

Attorney, Agent, or Firm—Grady J. Frenchick; Stroud,
Stroud, Willink, Thompson & Howard

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a battery charger embodying our new design;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right perspective view thereof on a reduced scale;

FIG. 8 a top plan view of a battery charger showing a second embodiment of our new design; and,

FIG. 9 is a right perspective view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9