



US00D374046S

United States Patent [19]

[11] Patent Number: **Des. 374,046**

Drennan

[45] Date of Patent: ****Sep. 24, 1996**

[54] **TREADMILL HOUSING**

5,002,015	3/1991	Sampson et al. .	
5,108,088	4/1992	Keller et al.	482/54
5,295,929	3/1994	Weisz	482/54

[76] Inventor: **Ray Drennan**, P.O. Box 250, Ozark, Mo. 65721

[**] Term: **14 Years**

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Chase & Yakimo

[21] Appl. No.: **34,553**

[57] **CLAIM**

[22] Filed: **Feb. 7, 1995**

The ornamental design for a treadmill housing, as shown and described.

[52] U.S. Cl. **D21/192**

[58] Field of Search D21/191, 192;
482/54, 57, 55

DESCRIPTION


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,222	10/1989	Keller et al.	D21/192
4,332,217	6/1982	Davis	482/54
4,576,376	3/1986	Miller	482/54
4,712,788	12/1987	Gaudreau, Jr.	482/54
4,759,544	7/1988	Diaz	482/57
4,776,581	10/1988	Shepherdson	482/57
4,819,583	4/1989	Guerra	482/54
4,918,766	4/1990	Leonageo, Jr. .	
4,938,469	7/1990	Crandell	482/54

FIG. 1 is a perspective view of the treadmill housing showing my new design;
 FIG. 2 is a perspective view of the treadmill housing of FIG. 1 from the opposed side thereof showing my new design;
 FIG. 3 is a top view of the treadmill housing showing my new design on an enlarged scale from that shown in FIG. 1;
 FIG. 4 is a bottom view of the treadmill housing showing my new design;
 FIG. 5 is a front elevational view thereof; and,
 FIG. 6 is a rear elevational view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5