

### US00D374061S

# United States Patent [19]

## Myojo et al.

# [11] Patent Number: Des. 374,061

[45] Date of Patent:

\*\*Sep. 24, 1996

[54]	FISHLIN	E GU	DE P	PIPE
[75]	Inventors:			o; Yasunori Hosoya; ashimoto, all of Osaka, Japan
[73]	Assignee:	Shim	ano I	nc., Osaka, Japan
[**]	Term:	14 Y	ears	
[21]	Appl. No.: 29,362			
[22]	Filed:	Oct.	4, 199	94
[30] Foreign Application Priority Data				
	r	[JP]	Japan	6-17887
Jun.	17, 1994 17, 1994	[JP]	Japan	6-17888 6-17889
Jun. [52]	17, 1994 U.S. Cl	[JP]	Japan	
Jun. [52]	17, 1994 U.S. Cl	[JP]	Japan	6-17889
Jun. [52]	17, 1994 U.S. Cl	[JP] earch	Japan	
Jun. [52] [58]	17, 1994 U.S. Cl Field of S	[JP] earch Re	Japan	

Attorney, Agent, or Firm-Jordan and Hamburg

[57]

#### **CLAIM**

The ornamental design for a fishline guide pipe, as shown and described.

#### DESCRIPTION

FIG. 1 is a left side elevational view of a first embodiment of a fishline guide pipe showing our new design, the side opposite being a mirror image of the side shown;

FIG. 2 is an enlarged left side elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevational view thereof, a rear elevational view being identical to the front shown;

FIG. 6 is a left side elevational view of a second embodiment of a fishing rod shuttle showing our new design, the side opposite being identical to the side shown;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is a front elevational view thereof, a rear elevational view being identical to the front shown.


The broken line showing of a fishing rod, reel and line in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

Primary Examiner—Doris V. Coles

4,130,960

5,299,377

### 1 Claim, 3 Drawing Sheets








FIG.2

Sep. 24, 1996




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

