



US00D374200S

United States Patent [19]
Kinoshita

[11] **Patent Number: Des. 374,200**
[45] **Date of Patent: **Oct. 1, 1996**

[54] **AUTOMOBILE TIRE**

[75] Inventor: **Takehiko Kinoshita**, Akashi, Japan

[73] Assignee: **Sumitomo Rubber Industries, Ltd.**,
Kobe, Japan

[**] Term: **14 Years**

[21] Appl. No.: **32,156**

[22] Filed: **Dec. 8, 1994**

[30] **Foreign Application Priority Data**

Jun. 8, 1994 [JP] Japan 6-16947

[52] **U.S. Cl.** **D12/141**

[58] **Field of Search** D12/141, 145,
D12/146-148; 152/209 R, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

301,132 5/1989 Himuro et al. D12/145
D. 320,772 10/1991 Hasegawa D12/147
D. 346,350 4/1994 Himuro et al. D12/147

OTHER PUBLICATIONS

Tire Review, Mar. 1993, p. 62, Dunlop SE Sport 8000 Tire,
left center of page.
1993 Tread Design Guide, p. 14, Bridgestone Potenza RE
010 Tire, bottom center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Cushman Darby & Cushman,
L.L.P.

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of an automobile tire
showing my new design, it being understood that the tread
design is repeated uniformly throughout the circumference
of the tire;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof; and,

FIG. 6 is an enlarged fragmentary front elevational view
thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

