



US00D374586S

United States Patent [19]

Belser

[11] Patent Number: Des. 374,586
[45] Date of Patent: **Oct. 15, 1996

[54] HAIRBOW AND BARRETTE HOLDER

[76] Inventor: Mary L. Belser, 21-746F Fig St., Elmendorf AFB, Ak. 99506

[**] Term: 14 Years

[21] Appl. No.: 42,736

[22] Filed: Aug. 9, 1995

[52] U.S. Cl. D6/567

[58] Field of Search D6/512-514, 553, D6/567; 211/13, 86-87; 206/6.1, 566

[56] References Cited

U.S. PATENT DOCUMENTS

D. 361,235	8/1995	Decker	D6/553
D. 364,523	11/1995	Carter	D6/553
1,574,192	2/1926	Gutterman ..	
3,308,959	3/1967	Repair	211/13
3,853,226	12/1974	Hine et al. ..	
4,749,088	6/1988	Workman et al. ..	
5,027,960	7/1991	Rainville ..	
5,031,758	7/1991	Gonzalez ..	
5,172,814	12/1992	Pell et al. ..	
5,259,497	11/1993	Brothers et al. ..	

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Richard C. Litman

[57] CLAIM

The ornamental design for a hairbow and barrette holder, as shown and described.

DESCRIPTION

FIG. 1 is an environmental view of a hairbow and barrette holder showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top perspective view thereof;

FIG. 5 is a left side elevational view with the right side being a mirror image thereof;

FIG. 6 is an environmental view of a second embodiment of a hairbow and barrette holder;

FIG. 7 is a front elevational view thereof;

FIG. 8 is a rear elevational view thereof;


FIG. 9 is a top perspective view thereof; and,

FIG. 10 is a left side elevational view with the right side being a mirror image thereof.

The broken line showings of the bows on the braids and the lace on the hat in FIGS. 1 and 6 are for illustrative purposes only and forms no part of the claimed design.

The braid element is shown broken-away in the views to indicate indeterminate length.

1 Claim, 10 Drawing Sheets



U.S. Patent

Oct. 15, 1996

Sheet 1 of 10

Des. 374,586




Fig. 1

U.S. Patent

Oct. 15, 1996

Sheet 2 of 10

Des. 374,586




Fig. 2

U.S. Patent

Oct. 15, 1996

Sheet 3 of 10

Des. 374,586




Fig. 3




Fig. 4

U.S. Patent

Oct. 15, 1996

Sheet 5 of 10

Des. 374,586




Fig. 5




Fig. 6




Fig. 7




Fig. 8

U.S. Patent

Oct. 15, 1996

Sheet 9 of 10

Des. 374,586




Fig. 9




Fig. 10