



US00D374633S

United States Patent [19]

Freese et al.

[11] **Patent Number:** **Des. 374,633**[45] **Date of Patent:** ****Oct. 15, 1996**[54] **BABY MONITOR TRANSMITTER**[75] Inventors: **Theodore B. Freese**, Westminster, Colo.; **Gregory S. Hinzmann**, Hillsboro; **Angelika I. Schubert**, Portland, both of Oreg.[73] Assignee: **Gerry Baby Products Company**, Thornton, Colo.[**] Term: **14 Years**[21] Appl. No.: **46,753**[22] Filed: **Nov. 3, 1995**[52] U.S. Cl. **D10/104**[58] Field of Search D10/104, 106,
D10/116, 121; 340/540, 541-547, 551,
552, 555, 556, 566, 565, 577, 578, 579,
571, 572, 573[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 260,008 7/1981 Wistrand D10/106

D. 275,375 9/1984 Schwartz D10/106
D. 312,222 11/1990 Sawyer D10/106
D. 329,620 9/1992 Salazar D10/106*Primary Examiner*—Marcus A. Jackson
Attorney, Agent, or Firm—Biebel & French[57] **CLAIM**

The ornamental design for a baby monitor transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a baby monitor transmitter illustrating the present invention;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets




FIG-1

FIG-2





FIG. 3






FIG-5




FIG - 6




FIG - 7

