



US00D374813S

United States Patent [19]**Akeno**[11] **Patent Number: Des. 374,813**[45] **Date of Patent: **Oct. 22, 1996**[54] **MALE MEMBER OF SURFACE FASTENER**5,315,740 5/1994 Provost 24/442
5,339,499 8/1994 Kennedy et al. 24/442[75] Inventor: **Mitsuru Akeno**, Toyama, Japan[73] Assignee: **YKK Corporation**, Tokyo, Japan[**] Term: **14 Years***Primary Examiner*—Ralf Seifert*Attorney, Agent, or Firm*—Hill, Steadman & Simpson[21] Appl. No.: **39,301**[22] Filed: **May 22, 1995**[30] **Foreign Application Priority Data**

Nov. 22, 1994 [JP] Japan 6-35640

[52] **U.S. Cl.** **D8/382**[58] **Field of Search** D11/200, 201,
D11/28; 24/306, 442, 444; 59/90; D8/349[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 354,030	1/1995	Murasaki		D8/382
D. 367,419	2/1996	Murasaki		D8/382
4,984,339	1/1991	Provost et al.		24/442
5,131,119	7/1992	Murkasaki et al.		24/442

[57] **CLAIM**

The ornamental design for male member of surface fastener, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a male member of surface fastener showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a fragmentary enlarged view of FIG. 2;

FIG. 8 is a fragmentary enlarged view of FIG. 3;

FIG. 9 is a fragmentary enlarged view of FIG. 5;

FIG. 10 is a fragmentary enlarged view of FIG. 6; and,

FIG. 11 is a perspective view of the male member.


1 Claim, 6 Drawing Sheets

FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11

