



US00D374850S

**United States Patent** [19]  
**Wohlfahrt**

[11] **Patent Number:** **Des. 374,850**  
[45] **Date of Patent:** **\*\*Oct. 22, 1996**

[54] **TIRE**

[75] Inventor: **Raimund Wohlfahrt**, Enzesfeld,  
Austria

[73] Assignee: **Sava Kranj**, Kranj, Slovenia

[\*\*] Term: **14 Years**

[21] Appl. No.: **18,346**

[22] Filed: **Feb. 4, 1994**

[30] **Foreign Application Priority Data**

Aug. 5, 1993 [SI] Slovenia ..... M-93 50 114

[52] **U.S. Cl.** ..... **D12/147**

[58] **Field of Search** ..... D12/141-143,  
D12/146-148, 136; 152/209 R, 209 B,  
209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 328,580 8/1992 Killian ..... D12/147

D. 334,362 3/1993 Stone et al. .... D12/147

**FOREIGN PATENT DOCUMENTS**

3153405 7/1991 Japan ..... 152/209 D

**OTHER PUBLICATIONS**

1993 Tread Design Guide, p. 68, Telstar Demander VR Tire,  
second row down from top, right side of page.

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Pollock, Vande Sande & Priddy


[57] **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, as shown schematically by solid lines, the opposite side being substantially the same as that illustrated; and,  
FIG. 2 is an enlarged fragmentary plan view of the tread pattern of FIG. 1 showing my new design.

**1 Claim, 2 Drawing Sheets**






FIG. 1






FIG. 2