



US00D374891S

# United States Patent [19]

[11] Patent Number: **Des. 374,891**

**Bornhorst, Jr. et al.**

[45] Date of Patent: **\*\*\* Oct. 22, 1996**

[54] ENGRAVER

5,217,335	6/1993	Houchens, Jr. et al. .	
5,265,497	11/1993	Curless .	
5,367,754	11/1994	Shehan et al. ....	29/27 C
5,392,501	2/1995	Sonneil .....	29/27 C

[75] Inventors: **Kenneth F. Bornhorst, Jr.**, Centerville;  
**Pierre L. Crease**, Dayton; **Kim E. Izor**, Miamisburg; **Larry D. Lucous**;  
**Larry L. Uptegraph**, both of Dayton, all of Ohio

### FOREIGN PATENT DOCUMENTS

2631571	11/1989	France .....	29/27 R
129189	1/1978	Germany .	
204871A	12/1983	Germany .	
3619341	3/1987	Germany .	
780964	11/1980	U.S.S.R. .	
WO89/02339	3/1989	WIPO .	

[73] Assignee: **Ohio Electronic Engravers, Inc.**, Dayton, Ohio

[\*] Notice: The portion of the term of this patent subsequent to Jan. 9, 2010, has been disclaimed.

### OTHER PUBLICATIONS

[\*\*] Term: **14 Years**

M-500 System Brochure of Assignee, Ohio Electronic Engravers, Inc., 1992.

[21] Appl. No.: **43,864**

Photograph of Prior Engraver of Assignee, Ohio Electronic Engravers, Inc. (undated).

[22] Filed: **Sep. 13, 1995**

Brochure Entitled "Super Polishmaster" MDC Max Dätwyler AG, Flugplatz, CH-3368 Bleienbach/Schweiz, 5 pgs. (undated).

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 16,023, Dec. 3, 1993, Pat. No. Des. 366,061.

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Frank Martinez

*Attorney, Agent, or Firm*—Jacox, Meckstroth & Jenkins

[52] U.S. Cl. .... **D18/57**

[58] Field of Search ..... D18/57; D15/130;  
29/27 R, 27 C, 28; 82/117; 101/150, 170;  
74/608

### [57] CLAIM

The ornamental design for an engraver, as shown and described.

### [56] References Cited


#### U.S. PATENT DOCUMENTS

D. 265,204	6/1982	Turchan et al. ....	D15/130
D. 344,963	3/1994	Lawhorn .....	D15/130
D. 350,982	9/1994	Joye .....	D18/57
4,576,069	3/1986	Bazuin .	
4,673,076	6/1987	Mattson .	
4,677,718	7/1987	Babel .	
4,685,361	8/1987	Myers .....	74/608
5,054,176	10/1991	Wachter .	
5,178,499	1/1993	Umeda et al. .	

### DESCRIPTION

FIG. 1 is a perspective view of an engraver;  
FIG. 2 is a top view of the engraver shown in FIG. 1;  
FIG. 3 is a front view of the engraver shown in FIG. 1;  
FIG. 4 is a rear view of the engraver shown in FIG. 1;  
FIG. 5 is a right-side view of the engraver shown in FIG. 1;  
FIG. 6 is a left-side view of the engraver shown in FIG. 1;  
and,  
FIG. 7 is a bottom view of the engraver shown in FIG. 1.

**1 Claim, 6 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4

FIG-6




FIG-5




FIG-7

