



US00D375239S

United States Patent [19]
Hall et al.

[11] **Patent Number:** **Des. 375,239**
[45] **Date of Patent:** ****Nov. 5, 1996**

[54] **C-CLAMP**

[76] Inventors: **Rodney D. Hall; Charlotte A. Hall,**
both of P.O. Box 30, Hazel Green, Ky.
41332

[**] Term: **14 Years**

[21] Appl. No.: **38,162**

[22] Filed: **Apr. 28, 1995**

[52] U.S. Cl. **D8/73**

[58] Field of Search D8/71, 72, 73;
24/514; 29/257; 83/745; 242/404.2; 269/143,
249; 451/365

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 248,728	8/1978	Elliott		D8/72
D. 278,308	4/1985	Garvis		D8/71
D. 317,394	6/1991	Goldstein		D8/71
D. 358,538	5/1995	Cote		D8/73
445,414	1/1891	Shreve		242/404.2
2,305,854	12/1942	English		24/514
3,055,654	9/1962	Harrison et al.		269/143
3,066,931	12/1962	Beals		D8/73 X
3,147,003	9/1964	Johnson		24/514
4,823,636	4/1989	Suska		24/514

FOREIGN PATENT DOCUMENTS

23185 of 1893 United Kingdom D8/73 X

OTHER PUBLICATIONS

Hargrave Deep Clamp No. 573, Campbell's Industrial Supply Co. Catalog 91, ©1981, p. 276.
Williams' Heavy Service C-Clamp No. CC-12, Williams' Technical Bulletin No. TB-102C, p. 4.

Primary Examiner—B. J. Bullock

Assistant Examiner—Robert M. Spear

Attorney, Agent, or Firm—Harpman & Harpman


[57] **CLAIM**

The ornamental design for a c-clamp, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the c-clamp embodying the design of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 4.




FIG. 2.




FIG. 5.

FIG. 3.




FIG. 6.

