



US00D375406S

**United States Patent** [19]  
**Smith**

[11] **Patent Number: Des. 375,406**

[45] **Date of Patent: \*\*Nov. 12, 1996**

[54] **BALL HOLDER**

[75] **Inventor: David J. Smith, Fairlawn, Ohio**

[73] **Assignee: Steere Enterprises, Tallmadge, Ohio**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 37,484**

[22] **Filed: Apr. 13, 1995**

[52] **U.S. Cl. .... D3/257**

[58] **Field of Search ..... D3/257; D21/206,  
D21/223; 224/202, 203, 222, 919; 206/315.1,  
315.9**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |            |       |           |
|------------|---------|------------|-------|-----------|
| D. 249,083 | 8/1978  | Evans      | ..... | D3/257    |
| 1,778,225  | 10/1930 | Morss      | ..... | 206/315.9 |
| 2,768,775  | 10/1956 | Houser     | ..... | 224/196 X |
| 4,042,156  | 8/1977  | Knight     | ..... | D3/224 X  |
| 4,296,874  | 10/1981 | Evans      | ..... | 221/307   |
| 4,299,345  | 11/1981 | Lanzl      | ..... | 224/252   |
| 4,730,728  | 3/1988  | Larkin     | ..... | 206/315.9 |
| 4,798,319  | 1/1989  | James, Jr. | ..... | 224/919 X |
| 4,840,332  | 6/1989  | Hoyt       | ..... | 224/274   |
| 5,183,154  | 2/1993  | Slemp      | ..... | 206/315.9 |
| 5,433,491  | 7/1995  | Green      | ..... | 224/202 X |

*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—Catherine R. Oliver  
*Attorney, Agent, or Firm*—Renner, Kenner, Greive, Bobak,  
Taylor & Weber

[57] **CLAIM**


The ornamental design for a ball holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a ball holder showing my new design;  
FIG. 2 is a top view thereof;  
FIG. 3 is a side elevational view of a ball holder, the opposite side elevational view being a mirror image thereof;  
FIG. 4 is a bottom view thereof, with the bottom being the same for each embodiment;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a front elevational view of a second embodiment thereof;  
FIG. 7 is a top view thereof;  
FIG. 8 is a rear elevational view thereof;  
FIG. 9 is a front elevational view of a third embodiment thereof;  
FIG. 10 is a top view thereof;  
FIG. 11 is a rear elevational view thereof;  
FIG. 12 is a front elevational view of a fourth embodiment thereof;  
FIG. 13 is a top view thereof;  
FIG. 14 is a rear elevational view thereof; and,  
FIG. 15 is a side elevational view, with the side being the same for each embodiment and the opposite sides being a mirror image thereof.

The broken lines showing at least one ball in FIGS. 1 and 3, respectively, are environmental only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. - 1




FIG. - 3




FIG. - 2





FIG. - 4








FIG. - 6




FIG. - 9




FIG. - 7




FIG. - 10




FIG. - 12




FIG. - 15




FIG. - 13