



US00D375645S

United States Patent [19]

Foster et al.

[11] Patent Number: **Des. 375,645**

[45] Date of Patent: ****Nov. 19, 1996**

[54] **ARCHERY BOW HOLDER**

[76] Inventors: **Gary D. Foster**, 5806 Monassas Run Dr., Milford, Ohio 45150; **Curtis C. Foster**, 2623 Nola Dr., Bethel, Ohio 45106

[**] Term: **14 Years**

[21] Appl. No.: **45,656**

[22] Filed: **Oct. 25, 1995**

[52] U.S. Cl. **D6/552**

[58] Field of Search D6/552, 566; 206/315.11; 211/64, 181; 248/175, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 299,199	1/1989	Rogowski .	
D. 313,886	1/1991	Southard	D6/552
D. 365,715	1/1996	Zebbedies	D6/552
D. 365,717	1/1996	Cardenas	D6/552
2,220,234	11/1940	Hadaway .	
2,690,317	9/1954	Hoffman .	
3,876,078	4/1975	Gomes	211/64
4,331,311	5/1982	Russell .	
4,360,179	11/1982	Roberts .	
4,531,643	7/1985	Bradley .	

4,542,873	9/1985	Matherly et al. .
4,614,323	9/1986	Bauer .
4,729,363	3/1988	Skyba .
4,936,415	6/1990	Williams .
5,048,504	9/1991	Ballard .
5,377,657	1/1995	Foster et al. .

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Richard C. Litman


[57] **CLAIM**

The ornamental design for a archery bow holder, as shown and described.

DESCRIPTION

FIG. 1 is an environmental perspective view of an archery bow holder showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view with the left side being a mirror image thereof; FIG. 5 is a top view thereof; and, FIG. 6 is a bottom view thereof. The broken line showing of the bow in FIG. 1 and the wingnut and base in FIG. 4 is for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6