



US00D375743S

United States Patent [19]

Nishii et al.

[11] Patent Number: **Des. 375,743**

[45] Date of Patent: ****Nov. 19, 1996**

[54] **PAGER**

[75] Inventors: **Hiroki Nishii; Katsumi Nagano; Yuko Komamiya**, all of Kanagawa, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **47,997**

[22] Filed: **Dec. 18, 1995**

[30] Foreign Application Priority Data

Aug. 2, 1995 [JP] Japan 7-22824

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 188,
D14/191-192, 299; 340/311.1; 455/38.1-38.4,
90, 92, 100, 128, 344

[56] References Cited

U.S. PATENT DOCUMENTS

D. 284,472 7/1986 Nakatani et al. D14/191

D. 338,465 8/1993 Hayasaka et al. D14/191
D. 342,736 12/1993 Scheid et al. D14/191
D. 355,657 2/1995 Scheid et al. D14/191 X

Primary Examiner—Sandra L. Morris

Assistant Examiner—Nanda Bondade

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a pager, as shown.

DESCRIPTION

FIG. 1 is a front, right and bottom perspective view of a pager showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

