



US00D375890S

**United States Patent** [19]  
**Takai**

[11] **Patent Number: Des. 375,890**  
[45] **Date of Patent: \*\*Nov. 26, 1996**

[54] **ROD HOLDER**

[75] Inventor: **Motoharu Takai**, Yokohama, Japan

[73] Assignee: **Nifco Inc.**, Yokohama, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **45,690**

[22] Filed: **Oct. 26, 1995**

[30] **Foreign Application Priority Data**

Apr. 28, 1995 [JP] Japan ..... 7-11925

[52] **U.S. Cl.** ..... **D8/380**

[58] **Field of Search** ..... D8/380, 349; 248/68.1,  
248/74.1-74.4; 24/339; 174/135

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |        |          |       |            |
|------------|--------|----------|-------|------------|
| D. 269,851 | 7/1983 | Kimura   | ..... | D8/356     |
| D. 295,724 | 5/1988 | Shioda   | ..... | D8/380 X   |
| D. 295,725 | 5/1988 | Shioda   | ..... | D8/380 X   |
| 3,894,706  | 7/1975 | Mizusawa | ..... | 248/68.1   |
| 4,244,544  | 1/1981 | Kornat   | ..... | 248/74.2 X |
| 5,209,441  | 5/1993 | Satoh    | ..... | 248/68.1 X |

*Primary Examiner*—Holly Baynham

*Attorney, Agent, or Firm*—Kanesaka & Takeuchi

[57] **CLAIM**

The ornamental design for a rod holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a rod holder showing my new design;

FIG. 2 is a front view thereof, the rear view being symmetrical to the front view;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a cross sectional view taken along line 7—7 in FIG. 3; and,

FIG. 8 is a cross sectional view taken along line 8—8 in FIG. 2.

The broken line showing of pipes is for illustrative purposes and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**








FIG. 7




FIG. 8




FIG. 1






FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6