



US00D376052S

# United States Patent [19]

Cone et al.

[11] Patent Number: **Des. 376,052**

[45] Date of Patent: **\*\*Dec. 3, 1996**

[54] **STATIONARY BOUNCER**

[75] Inventors: **Richard E. Cone**, Athens, Ohio;  
**Michael S. Rosko**, Greenwood, Ind.

[73] Assignee: **Cosco, Inc.**, Columbus, Ind.

[\*\*] Term: **14 Years**

[21] Appl. No.: **46,243**

[22] Filed: **Nov. 9, 1995**

[52] U.S. Cl. .... **D6/347**; D6/333

[58] Field of Search ..... D6/333, 334, 335,  
D6/339, 344, 347, 500, 501, 502; D12/130;  
D21/66, 71; 280/87.05, 87.051; 297/274,  
275

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 137,437	3/1944	Driscoll .....	D6/339 X
D. 194,146	11/1962	Lay .....	D12/130
D. 216,688	3/1970	Seki .....	D12/130
D. 240,518	7/1976	Ishida .....	D12/130
D. 249,669	9/1978	Kassai .....	D12/130
D. 251,420	3/1979	Kassai .....	D12/130
D. 254,610	4/1980	Kassai .....	D12/130
D. 295,397	4/1988	Brownlie et al. ....	D12/130
D. 302,360	7/1989	Riehm .....	D6/333
D. 341,109	11/1993	Chang .....	D6/333 X
D. 347,121	5/1994	Harper et al. ....	D6/333
D. 355,939	2/1995	Meeker et al. ....	D21/66
D. 360,905	8/1995	Meeker et al. ....	D21/71
D. 366,070	1/1996	Fermaglich et al. ....	D21/66

517,403	3/1894	Bradish et al. .	
4,045,045	8/1977	Boucher et al. ....	280/87.02 W
4,084,273	4/1978	Haynes .....	5/105
4,231,582	11/1980	Moss .....	280/87.02 W
4,359,242	11/1982	Gerken et al. ....	297/5
4,364,576	12/1982	Kassai .....	280/87.051
4,822,030	4/1989	Cone .....	D12/130 X
4,830,345	5/1989	Mar .....	267/133
5,083,806	1/1992	Brown .....	280/87.051 X
5,407,246	4/1995	Meeker et al. ....	297/137

### OTHER PUBLICATIONS

Target the Family, p. 27, (1995), G+J Custom Publishing, 110 Fifth Avenue, 9th Floor, New York, NY 10011.

*Primary Examiner*—Gary D. Watson  
*Attorney, Agent, or Firm*—Barnes & Thornburg


### [57] CLAIM


The ornamental design for a stationary bouncer, as shown and described.

### DESCRIPTION


FIG. 1 is a perspective view of the front and right side of a stationary bouncer showing our new design; FIG. 2 is a front view of the stationary bouncer of FIG. 1; FIG. 3 is a top view of FIG. 2 thereof; FIG. 4 is a right side view of FIG. 2, the left side being a mirror image thereof; FIG. 5 is a back view of FIG. 2 thereof; and, FIG. 6 is a bottom view of FIG. 2 thereof. FIGS. 2 through 6 have been shown on an enlarged scale.

**1 Claim, 3 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*