



US00D376122S

United States Patent [19]
Stine et al.

[11] **Patent Number:** **Des. 376,122**
[45] **Date of Patent:** ****Dec. 3, 1996**

[54] **ILLUMINATED FLAG AND SUPPORT THEREFOR**

[76] Inventors: **Samuel Stine; Troy Stine**, both of 15 Cherry St., Newville, Pa. 17241

[**] Term: **14 Years**

[21] Appl. No.: **47,030**

[22] Filed: **Nov. 27, 1995**

[52] U.S. Cl. **D11/165; D11/180; D20/41**

[58] Field of Search **D11/165, 166, D11/178-80; D20/41; 116/173-175; 40/541, 546, 547, 553, 559, 560; 362/190**

[56] **References Cited**

U.S. PATENT DOCUMENTS

102,267	4/1870	Holt	116/173
D. 245,945	9/1977	Mihojevich	D20/41
D. 285,456	9/1986	Wiens	D20/41 X
1,192,803	7/1916	Tucker et al.	40/541
2,344,639	3/1944	Ressinger	40/541
2,939,236	6/1960	Stein	D20/41 X
4,987,848	1/1991	Todd	116/173
5,440,464	8/1995	Mowlin et al.	362/190
5,477,437	12/1995	Lach	116/173 X

OTHER PUBLICATIONS

United States Flag; 1959.

Primary Examiner—Dominic Simone

Attorney, Agent, or Firm—Harold H. Dutton, Jr.; Diane S. Liebman; W. Charles L. Jamison

[57] **CLAIM**

The ornamental design for an illuminated flag and support therefor, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an illuminated flag and support therefor showing our new design, the flag in a partially opened position;

FIG. 2 is a reduced front elevational view thereof, the flag in a fully opened position and shown separately for illustrative purposes;

FIG. 3 is a rear elevational view of FIG. 2, the support in a position for storage;


FIG. 4 is a top plan view of FIG. 2;


FIG. 5 is a bottom plan view of FIG. 2;

FIG. 6 is a left side elevational view of FIG. 2; and,

FIG. 7 is a right side elevational view of FIG. 2.

1 Claim, 4 Drawing Sheets








FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7