



US00D376424S

United States Patent [19]

Macauley et al.

[11] Patent Number: **Des. 376,424**

[45] Date of Patent: ****Dec. 10, 1996**

[54] BOTTLE

[75] Inventors: **Richard P. Macauley**, Westerville;
Patrick E. McCallister, Columbus,
both of Ohio; **Jay A. Smithberger**,
Evanston, Ill.; **Lewis H. Sita**,
Worthington; **Elwood L. Stokesbury**,
Westerville, both of Ohio

[73] Assignee: **Abbott Laboratories**, Abbott Park, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **41,457**

[22] Filed: **Jul. 14, 1995**

Related U.S. Application Data

[62] Division of Ser. No. 26,129, Jul. 20, 1994.
[52] U.S. Cl. **D24/121; D9/520; D24/224**
[58] Field of Search **D24/121, 224,**
D24/118, 127, 128; D9/520, 430, 573, 453,
572, 454, 445, 447; 215/329, 373, 215,
370, 374

[56] References Cited

U.S. PATENT DOCUMENTS

D. 288,293 2/1987 Arvans D9/370
D. 289,975 5/1987 Wendt D9/401
D. 294,120 2/1988 Griesing et al. D9/403
D. 303,496 9/1989 Larson D9/367
D. 304,805 11/1989 Mednis D9/341
D. 313,177 12/1990 Larson D9/370
D. 316,965 5/1991 Arvidson D9/370
2,022,520 11/1935 Philbrick 215/379 X
3,096,913 7/1963 Corley 222/183
3,171,412 3/1965 Braun 123/272
3,325,031 6/1967 Singier 215/37
3,384,258 5/1968 Singier 215/100
3,537,498 11/1970 St. Amand 150/0.5

3,581,928 6/1971 St. Amand 215/100 A
3,880,311 4/1975 McPhee D24/118 X
3,926,341 12/1975 Lhoest 222/92
4,013,187 3/1977 Betka 215/100
4,747,519 10/1985 Green et al. 222/181
4,824,787 4/1989 Serkes et al. D24/224 X
5,123,554 6/1992 Arvidson 215/12.2

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—Brian R. Woodworth


[57] CLAIM

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bottle showing our new design;
FIG. 2 is another perspective view thereof from the opposite direction of that shown in FIG. 1;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a side elevation thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck;
FIG. 8 is a perspective view of a second embodiment of a bottle showing our new design;
FIG. 9 is another perspective view of the second embodiment from a direction opposite to that shown in FIG. 8;
FIG. 10 is a front elevational view of the second embodiment;
FIG. 11 is a rear elevational view of the second embodiment;
FIG. 12 is a top view of the second embodiment;
FIG. 13 is a bottom view of the second embodiment; and,
FIG. 14 is a side elevation thereof, the opposite side elevation being the same except for the conventional screw threading on the bottle neck.

1 Claim, 8 Drawing Sheets






FIG-1




FIG-2




FIG-5




FIG-3




FIG-4




FIG-6




FIG-7




FIG-8




FIG-9




FIG-12




FIG-10




FIG-11




FIG-13




FIG-14