



US00D376554S

# United States Patent [19]

[11] **Patent Number: Des. 376,554**

**Richardson et al.**

[45] **Date of Patent: \*\*Dec. 17, 1996**

[54] **VEHICLE STOPPING INDICATOR**

*Assistant Examiner*—Linda Brooks

[76] Inventors: **Solange Richardson; David Richardson**, both of 62 Elm Ridge Rd., Pawcatuck, Conn. 06379

*Attorney, Agent, or Firm*—Harold H. Dutton, Jr.; Diane S. Liebman; W. Charles L. Jamison

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a vehicle stopping indicator, as shown and described.

[21] Appl. No.: **32,971**

**DESCRIPTION**

[22] Filed: **Dec. 30, 1994**

[52] U.S. Cl. .... **D10/109**

FIG. 1 is a perspective view of a vehicle stopping indicator showing our new design;

[58] Field of Search ..... D10/109, 110, D10/114, 117; 116/28 A, 28 R

FIG. 2 is an enlarged top view thereof;

FIG. 3 is an enlarged front view thereof; and,

FIG. 4 is an enlarged bottom view thereof.

[56] **References Cited**

The rear of the vehicle stopping indicator is a mirror image of the front, and the sides are substantially the same as the front. The cord is shown broken away in the middle in FIGS. 1 and 3 to indicate indeterminate length.

**U.S. PATENT DOCUMENTS**

2,854,942	10/1958	Ross	116/28 R
3,872,820	3/1975	Hess	116/28 R

*Primary Examiner*—James M. Gandy

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4

