



US00D376682S

United States Patent [19]

[11] **Patent Number: Des. 376,682**

Johnson

[45] **Date of Patent: **Dec. 24, 1996**

[54] **RIGID CAP**

FOREIGN PATENT DOCUMENTS

[76] Inventor: **Claude P. Johnson**, 2301 N. 50th St., Philadelphia, Pa. 19131

1263113 7/1960 France 2/195.1
461664 6/1928 Germany 2/195.1

[**] Term: **14 Years**

Primary Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Eckert Seamans Cherin & Mellott

[21] Appl. No.: **40,358**

[57] **CLAIM**

[22] Filed: **Jun. 15, 1995**

The ornamental design for the rigid cap, as shown and described.

[52] U.S. Cl. **D2/882**

[58] Field of Search D2/865, 878, 879,
D2/883, 882; 2/171, 181, 195.1; D29/100,
102, 104, 105, 106, 110

DESCRIPTION


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 136,649	11/1943	Dannenberg	D2/879
241,149	5/1881	Northrup	2/195.1
2,218,947	10/1940	Brunzell	D2/882 X
2,883,669	4/1959	Rafowitz et al.	2/195.1 X
2,926,356	3/1960	Taylor	D2/882 X
3,263,235	8/1966	Young	D2/882 X
3,268,911	8/1966	Cox	D2/882 X

FIG. 1 is a perspective view of a rigid cap showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front elevational view;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a side elevational view taken from one side thereof;
FIG. 7 is an opposite side elevational view thereof; and,
FIG. 8 is a bottom plan view.

1 Claim, 3 Drawing Sheets






Fig. 1.




Fig. 2.

Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.

