



US00D376788S

United States Patent [19]

[11] Patent Number: **Des. 376,788**

Emery

[45] Date of Patent: ****Dec. 24, 1996**

[54] **CURSOR CONTROL WITH PISTON GRIP**

D. 366,475 1/1996 Sanchez et al. D14/114
D. 366,655 1/1996 Sanchez et al. D14/114

[75] Inventor: **Robert L. Emery**, Morgan Hill, Calif.

Primary Examiner—Freda Nunn

[73] Assignee: **MicroSpeed, Inc.**, Fremont, Calif.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a cursor control with pistol grip, as shown and described.

[21] Appl. No.: **40,441**

DESCRIPTION

[22] Filed: **Jun. 19, 1995**

[52] U.S. Cl. **D14/114**

[58] Field of Search D14/114; D21/13, D21/48; D13/158; 200/5 A, 5 R, 6 A, 6 R, 341; 345/156, 158, 157, 159, 161-167; 74/471 XY; 273/148 B; 178/18, 19

FIG. 1 is a perspective view of the cursor control with pistol grip showing my new design;
FIG. 2 is a top plan view of the device;
FIG. 3 is a bottom plan view of the device;
FIG. 4 is a front elevational view of the device;
FIG. 5 is a rear elevational view of the device;
FIG. 6 is a right side elevational view of the device; and,
FIG. 7 is a left side elevational view of the device.


[56] **References Cited**

The cord is broken away to show an indeterminate length in the views for ease of illustration only.

U.S. PATENT DOCUMENTS

D. 330,371 10/1992 Tse D14/114
D. 331,044 11/1992 Tse D14/114
D. 352,739 11/1994 Ho D21/48

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7