



US00D376872S

United States Patent [19]

Stroud

[11] Patent Number: **Des. 376,872**

[45] Date of Patent: ****Dec. 24, 1996**

[54] **SEAT RESTRAINT**

[76] Inventor: **Robert W. Stroud**, 9000 E. Memorial, Jones, Okla. 73049

[**] Term: **14 Years**

[21] Appl. No.: **42,648**

[22] Filed: **Aug. 16, 1995**

[52] U.S. Cl. **D29/101**

[58] Field of Search D29/100-101, D29/122; D24/190; D2/861, 854, 830; 2/2; 182/3; 128/846, 869, 870, 874, 875; 244/122 AG; 119/770; 297/464, 465, 467

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,850	9/1980	Donahue	D29/101
D. 257,646	12/1980	Riedell	D29/101
D. 319,516	8/1991	Dissing	D29/101
D. 339,217	9/1993	McCue et al.	D29/101
2,170,703	8/1939	Waxman et al.	2/49
2,372,557	3/1945	Dowd	244/151
2,422,119	5/1948	Drozinski	24/205
2,544,399	3/1951	Schneider .	
2,940,443	6/1960	Baker	128/134
3,034,596	5/1962	Twaiats, Jr.	182/3
3,178,223	4/1965	Martin	297/385
3,179,360	4/1965	Shelton et al.	244/122
3,473,201	10/1969	Hopka et al.	24/205.17
3,524,679	8/1970	De Lavenne	297/384
3,757,744	9/1973	Pravaz	119/96

3,936,092	2/1976	Dietz	297/385
4,226,474	10/1980	Rupert et al.	297/484
4,682,671	7/1987	Hengstenberger et al.	182/3
4,685,454	8/1987	Posey	128/134
4,738,413	4/1988	Spinosa et al.	244/151 R
4,939,824	7/1990	Reed	24/633
5,245,706	9/1993	Moschetti et al.	2/2

FOREIGN PATENT DOCUMENTS

593924 3/1960 Canada .

Primary Examiner—Ruth McInroy

[57] **CLAIM**

The ornamental design for a seat restraint, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a seat restraint showing my new design, wherein the broken line showing of attachments is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a rear elevational view thereof, wherein the broken line showing of attachments is for illustrative purposes only and forms no part of the claimed design;


FIG. 3 is a left side elevational view thereof, with the right side elevational view being a mirror image;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

The crosshatch surface shading in FIGS. 1 and 2 is understood to repeat throughout the indicated area.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5