



US00D377019S

# United States Patent [19]

Nagano et al.

[11] Patent Number: **Des. 377,019**

[45] Date of Patent: **\*\*Dec. 31, 1996**

[54] **PAGER**

D. 353,593 12/1994 Hayasaka et al. .... D14/191  
D. 359,736 6/1995 Ishibashi et al. .... D14/191

[75] Inventors: **Katsumi Nagano; Yuko Komamiya,**  
both of Kanagawa, Japan

[73] Assignee: **Matsushita Electric Industrial Co.,**  
Ltd., Osaka, Japan

[\*\*] Term: **14 Years**

*Primary Examiner*—Sandra L. Morris  
*Assistant Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak &  
Seas

[21] Appl. No.: **47,978**

[22] Filed: **Dec. 18, 1995**

[30] **Foreign Application Priority Data**

Aug. 2, 1995 [JP] Japan ..... 7-22823

[52] U.S. Cl. .... **D14/191**

[58] Field of Search ..... D14/124, 188,  
D14/191-192, 299; 340/311.1; 455/38.1-38.4,  
90, 92, 100, 128, 344

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 325,913 5/1992 Takahashi et al. .... D14/191

[57] **CLAIM**

The ornamental design for a pager, as shown.

### DESCRIPTION

FIG. 1 is a front, right and bottom perspective view of a pager showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**




*Fig. 1*







*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*

